

Appendices

Table of Contents

Appendices

Appendix A – 2006 Substance Use Tables	A-1
Appendix B-1a – Past Year Drug Prevalences:	
Total Respondents by Gender, Grade and Region	B-1
Appendix B-1b – Past Month Drug Prevalences:	
Total Respondents by Gender, Grade and Region	B-5
Appendix B-2a – Past Year Drug Prevalences:	
Total Respondents: Grade by Gender	B-7
Appendix B-2b – Past Month Drug Prevalences:	
Total Respondents: Grade by Gender	B-11
Appendix B-3a – Past Year Drug Prevalences:	
Total Respondents: Region by Gender	B-13
Appendix B-3b – Past Month Drug Prevalences:	
Total Respondents: Region by Gender	B-17
Appendix B-4a – Past Year Drug Prevalences:	
Total Respondents: Region by Grade	B-19
Appendix B-4b – Past Month Drug Prevalences:	
Total Respondents: Region by Grade	B-23
Appendix B-5a – Past Year Drug Prevalences:	
Cook County Respondents: Racial Groups by Gender.....	B-25
Appendix B-5b – Past Month Drug Prevalences:	
Cook County Respondents: Racial Groups by Gender.....	B-29
Appendix B-6a – Past Year Drug Prevalences:	
Cook County Respondents: Racial Groups by Grade.....	B-31
Appendix B-6b – Past Month Drug Prevalences:	
Cook County Respondents: Racial Groups by Grade.....	B-35

Appendix B-7a – 6th Grade Past Year Drug Prevalences:
 All Respondents by Gender, Region,
 Cook County Residents by Racial Groups,
 All Respondents: Region by Gender B-37

Appendix B-7a – 6th Grade Past Year Drug Prevalences:
 All Respondents by Gender, Region,
 Cook County Residents by Racial Groups,
 All Respondents: Region by GenderB-41

Appendix C – Post-stratification and Weighting C-1

Appendix A
2006 Substance Use Tables

Appendix A
Table A-1

2006 Substance Use Prevalences for Illinois Youth
Percent of Respondents Using Indicated Substance

	Total Percent	Grade			Gender		Cook County	Non-Cook County
		8	10	12	Male	Female		
Lifetime								
Alcohol*	70.2%	59.6%	72.9%	80.1%	69.6%	70.8%	69.2%	70.9%
Cigarettes*	42.6%	33.5%	42.2%	54.2%	42.5%	42.5%	40.8%	43.8%
Marijuana*	30.2%	16.8%	32.8%	43.6%	31.9%	28.7%	30.4%	30.1%
Used Past Year								
Any Substance	67.7%	58.3%	70.0%	76.5%	67.0%	68.5%	66.9%	68.2%
Alcohol	61.1%	48.3%	64.7%	72.3%	59.7%	62.5%	59.6%	62.0%
Cigarettes	22.0%	14.6%	22.4%	30.6%	22.3%	21.7%	17.0%	25.3%
Smokeless Tobacco	10.6%	7.6%	10.7%	14.2%	14.6%	7.1%	9.0%	11.7%
Inhalants	8.3%	12.3%	6.5%	5.6%	7.8%	8.9%	7.2%	9.1%
Marijuana	25.8%	14.5%	29.1%	35.8%	27.2%	24.6%	25.4%	26.1%
Any Illicit (Ex. MJ)**	8.1%	4.9%	8.3%	11.6%	9.0%	7.2%	5.0%	10.1%
Crack/Cocaine	3.0%	1.9%	2.6%	4.7%	3.4%	2.6%	2.1%	3.5%
Hallucinogens	2.1%	0.7%	2.3%	3.5%	2.7%	1.5%	1.2%	2.7%
Ecstasy	2.4%	1.3%	2.4%	3.6%	3.2%	1.7%	1.8%	2.7%
Methamphetamine	0.7%	0.7%	0.5%	1.1%	0.8%	0.7%	0.3%	1.1%
Heroin	0.9%	0.8%	0.7%	1.2%	1.0%	0.8%	0.6%	1.0%
Uppers	3.6%	2.1%	3.6%	5.4%	4.3%	3.0%	1.5%	4.9%
Downers	3.2%	1.2%	3.7%	5.2%	3.7%	2.9%	1.5%	4.4%
Pain Pills	15.0%	14.3%	14.6%	16.3%	14.0%	16.0%	13.5%	15.9%
Steroids	0.6%	0.6%	0.5%	0.9%	1.1%	0.2%	0.5%	0.7%
Other Rx Drugs	13.3%	12.7%	13.7%	13.7%	12.8%	13.9%	11.7%	14.4%
OTC Perform. Enh.†	6.2%	3.3%	6.9%	8.9%	9.5%	3.2%	4.3%	7.4%
OTC Weight Loss Aids	3.2%	1.7%	2.9%	5.3%	1.6%	4.6%	2.1%	3.9%
Used Past Month								
Alcohol	40.7%	29.0%	42.6%	52.8%	40.0%	41.6%	40.9%	40.6%
Cigarettes	16.0%	9.3%	16.0%	24.2%	16.8%	15.3%	11.2%	19.1%
Smokeless Tobacco	6.6%	4.3%	6.9%	8.9%	9.4%	4.0%	5.8%	7.1%
Inhalants	5.0%	8.0%	3.4%	3.1%	4.5%	5.4%	4.7%	5.2%
Marijuana	16.6%	9.0%	18.7%	23.2%	18.5%	14.9%	16.5%	16.6%
# of Respondents	5,826	2,091	2,024	1,710	2,759	3,001	2,298	3,528

*Question worded differently than past year and past month

**Any Illicit Substance (Excluding Marijuana): See Report Chapter 8 for details

†Over-the-Counter Performance Enhancement Supplements

Appendix A
Table A-2

2006 Substance Use Prevalences: Gender and Cook vs Non-Cook Counties by Grade
Percent of Respondents Using Indicated Substance

	Gender by Grade						Region by Grade					
	8		10		12		8		10		12	
	Male	Female	Male	Female	Male	Female	Cook	Non-Cook	Cook	Non-Cook	Cook	Non-Cook
	Lifetime											
Alcohol*	60.9%	58.4%	70.8%	74.8%	78.5%	81.5%	61.7%	58.2%	69.8%	74.9%	78.2%	81.2%
Cigarettes*	32.8%	33.9%	41.6%	42.5%	55.2%	53.1%	35.0%	32.5%	38.0%	44.9%	51.7%	55.8%
Marijuana*	20.0%	13.9%	33.4%	32.3%	44.4%	42.8%	17.8%	16.1%	34.1%	31.9%	42.1%	44.5%
	Past Year											
Any Substance	58.2%	58.6%	67.4%	72.5%	77.0%	76.0%	60.9%	56.5%	67.7%	71.5%	73.8%	78.1%
Alcohol	46.4%	50.1%	62.2%	67.1%	72.2%	72.2%	51.3%	46.3%	61.4%	66.9%	68.3%	74.7%
Cigarettes	13.5%	15.7%	21.8%	22.6%	33.2%	28.2%	13.4%	15.4%	15.4%	27.0%	23.6%	34.8%
Smokeless Tobacco	8.9%	6.8%	14.6%	7.1%	21.5%	7.7%	7.9%	7.4%	8.3%	12.3%	11.2%	16.0%
Inhalants	10.7%	13.7%	5.3%	7.6%	7.2%	4.3%	11.2%	13.1%	5.0%	7.5%	4.7%	6.2%
Marijuana	16.5%	12.6%	29.8%	28.5%	36.8%	34.9%	15.1%	14.0%	29.3%	28.9%	33.9%	37.0%
Any Illicit (Ex. MJ)**	4.9%	4.9%	9.4%	7.3%	13.5%	10.0%	3.0%	6.2%	5.0%	10.4%	7.4%	14.2%
Crack/Cocaine	1.8%	2.0%	3.3%	2.0%	5.4%	4.1%	1.7%	2.0%	1.8%	3.1%	2.9%	5.7%
Hallucinogens	0.8%	0.5%	3.1%	1.5%	4.4%	2.8%	0.5%	0.9%	1.2%	3.0%	2.2%	4.4%
Ecstasy	1.4%	1.3%	3.0%	1.8%	5.4%	2.0%	0.9%	1.6%	1.6%	2.8%	3.3%	3.9%
Methamphetamine	0.4%	0.9%	0.3%	0.7%	1.7%	0.7%	0.1%	1.0%	0.3%	0.6%	0.5%	1.5%
Heroin	0.9%	0.6%	0.5%	1.0%	1.7%	0.8%	0.3%	1.0%	1.1%	0.5%	0.5%	1.6%
Uppers	2.6%	1.7%	4.1%	3.2%	6.7%	4.3%	0.5%	3.2%	1.7%	4.8%	2.6%	7.2%
Downers	1.2%	1.2%	4.3%	3.1%	5.8%	4.6%	0.4%	1.7%	1.9%	4.9%	2.4%	6.8%
Pain Pills	11.0%	17.4%	14.4%	15.0%	17.3%	15.4%	14.2%	14.4%	12.7%	15.8%	13.7%	17.9%
Steroids	1.0%	0.1%	0.5%	0.4%	1.9%	0.0%	0.7%	0.4%	0.4%	0.5%	0.3%	1.3%
Other Rx Drugs	12.3%	13.1%	12.7%	14.8%	13.4%	14.0%	12.2%	13.0%	11.8%	15.0%	10.8%	15.4%
OTC Perform. Enh. †	4.0%	2.7%	11.1%	3.0%	14.2%	4.2%	2.7%	3.7%	4.2%	8.6%	6.6%	10.3%
OTC Weight Loss Aids	1.1%	2.2%	1.5%	4.3%	2.5%	7.9%	1.2%	2.1%	2.1%	3.5%	3.4%	6.4%
	Past Month											
Alcohol	27.2%	30.5%	40.7%	44.5%	54.1%	51.8%	31.9%	26.9%	40.9%	43.7%	52.6%	53.0%
Cigarettes	9.1%	9.5%	15.8%	16.2%	27.1%	21.4%	7.3%	10.7%	10.5%	19.6%	17.1%	28.5%
Smokeless Tobacco	4.6%	3.9%	10.5%	3.5%	13.8%	4.5%	5.2%	3.7%	5.3%	8.0%	7.1%	10.0%
Inhalants	6.1%	9.5%	3.0%	3.9%	4.3%	2.1%	7.9%	8.0%	3.1%	3.7%	2.5%	3.5%
Marijuana	10.7%	7.4%	19.8%	18.0%	26.1%	20.5%	9.6%	8.6%	19.2%	18.4%	22.1%	23.9%
# of Respondents	969	1,089	973	1,027	817	885	846	1,245	805	1,219	646	1,064

*Question worded differently than past year and past month

**Any Illicit Substance (Excluding Marijuana): See Report Chapter 8 for details

†Over-the-Counter Performance Enhancement Supplements

Appendix A
Table A-3

2006 Substance Use Prevalences: Regional Sub-groups by Grade
Percent of Respondents Using Indicated Substance

	Cook County Schools by Grade						Non-Cook Settings by Grade					
	8		10		12		8		10		12	
	CPS	Non-CPS	CPS	Non-CPS	CPS	Non-CPS	Urban	Rural	Urban	Rural	Urban	Rural
	Lifetime											
Alcohol*	64.5%	59.7%	71.5%	68.6%	78.1%	78.3%	59.3%	56.8%	71.8%	77.8%	80.6%	81.7%
Cigarettes*	39.1%	31.9%	40.0%	36.6%	52.9%	51.0%	30.5%	35.1%	37.9%	51.3%	54.9%	56.6%
Marijuana*	24.5%	12.8%	35.7%	33.0%	44.7%	40.7%	17.4%	14.5%	31.6%	32.2%	48.9%	39.8%
	Used Past Year											
Any Substance	63.2%	59.2%	70.8%	65.4%	74.8%	73.3%	57.3%	55.6%	68.3%	74.4%	78.2%	78.0%
Alcohol	54.2%	49.1%	61.9%	61.0%	68.9%	67.9%	46.0%	46.7%	63.2%	70.2%	74.7%	74.6%
Cigarettes	12.8%	13.8%	15.3%	15.4%	22.4%	24.2%	14.0%	17.2%	23.2%	30.4%	30.8%	39.0%
Smokeless Tobacco	7.6%	8.2%	8.6%	8.1%	11.4%	11.2%	5.8%	9.5%	9.6%	14.9%	12.5%	19.7%
Inhalants	10.5%	11.7%	4.4%	5.5%	3.3%	5.4%	13.8%	12.2%	8.1%	6.9%	4.8%	7.7%
Marijuana	20.5%	11.1%	28.4%	29.9%	33.8%	33.9%	15.2%	12.5%	28.1%	29.7%	40.3%	33.6%
Any Illicit (Ex. MJ)**	2.5%	3.4%	4.3%	5.6%	7.3%	7.5%	6.2%	6.1%	9.9%	11.0%	13.4%	14.9%
Crack/Cocaine	0.9%	2.3%	1.4%	2.0%	3.3%	2.7%	1.6%	2.5%	3.0%	3.3%	4.9%	6.6%
Hallucinogens	0.1%	0.8%	0.8%	1.5%	1.3%	2.6%	1.0%	0.8%	3.5%	2.4%	4.3%	4.4%
Ecstasy	0.7%	1.1%	1.5%	1.8%	4.2%	2.8%	1.4%	1.8%	3.7%	2.0%	4.4%	3.4%
Methamphetamine	0.2%	0.0%	0.7%	0.0%	0.3%	0.6%	0.6%	1.6%	1.4%	0.0%	1.4%	1.6%
Heroin	0.1%	0.5%	0.5%	1.5%	0.4%	0.6%	0.4%	1.8%	0.6%	0.5%	1.3%	2.0%
Uppers	0.9%	0.2%	0.7%	2.4%	1.2%	3.3%	3.0%	3.5%	4.9%	4.7%	6.8%	7.5%
Downers	0.3%	0.5%	1.5%	2.1%	1.2%	3.0%	1.9%	1.5%	4.1%	5.6%	6.2%	7.4%
Pain Pills	15.5%	13.1%	14.9%	11.1%	13.0%	14.0%	14.0%	14.7%	17.2%	14.5%	17.5%	18.3%
Steroids	0.7%	0.8%	0.7%	0.3%	0.4%	0.3%	0.6%	0.2%	0.9%	0.2%	0.8%	1.8%
Other Rx Drugs	7.0%	16.2%	13.6%	10.5%	13.7%	9.2%	12.9%	13.2%	14.9%	15.1%	16.0%	14.8%
OTC Perform. Enh.†	2.1%	3.1%	2.4%	5.5%	4.3%	7.7%	3.7%	3.8%	7.9%	9.2%	8.3%	12.5%
OTC Weight Loss Aids	0.8%	1.6%	1.4%	2.6%	3.2%	3.5%	2.3%	1.7%	4.9%	2.2%	6.0%	6.9%
	Used Past Month											
Alcohol	34.8%	29.8%	39.8%	41.7%	52.1%	52.9%	27.2%	26.5%	40.7%	46.5%	53.7%	52.2%
Cigarettes	8.9%	6.2%	8.8%	11.7%	14.4%	18.5%	9.7%	11.9%	15.8%	23.1%	24.6%	32.5%
Smokeless Tobacco	6.1%	4.4%	6.3%	4.7%	7.4%	6.9%	2.4%	5.2%	6.3%	9.6%	8.9%	11.3%
Inhalants	7.2%	8.4%	3.3%	2.9%	1.7%	2.9%	8.2%	7.8%	4.2%	3.2%	3.5%	3.5%
Marijuana	13.6%	6.6%	19.7%	18.8%	23.6%	21.3%	9.3%	7.7%	18.3%	18.5%	26.2%	21.5%
# of Respondents	363	484	340	465	221	425	692	553	583	636	546	519

*Question worded differently than past year and past month

**Any Illicit Substance (Excluding Marijuana): See Report Chapter 8 for details

†Over-the-Counter Performance Enhancement Supplements

Appendix A
Table A-4

2006 Substance Use Prevalences:
Cook County: Chicago Public vs. other schools and Non-Cook Counties: Urban vs Rural by Gender
Percent of Respondents Using Indicated Substance

	Males		Females		Total		Males		Females		Total	
	CPS	Non-CPS	CPS	Non-CPS	CPS	Non-CPS	Urban	Rural	Urban	Rural	Urban	Rural
Lifetime												
Alcohol*	72.4%	65.3%	68.9%	71.1%	70.3%	68.5%	70.4%	70.9%	69.2%	73.7%	69.7%	72.2%
Cigarettes*	46.2%	38.8%	40.1%	39.4%	42.7%	39.4%	39.4%	46.7%	41.0%	48.4%	40.2%	47.7%
Marijuana*	37.4%	30.9%	30.5%	26.0%	33.5%	28.3%	32.9%	29.2%	30.2%	28.2%	31.4%	28.8%
Used Past Year												
Any Substance	70.0%	64.0%	68.2%	66.9%	68.8%	65.7%	66.9%	67.9%	67.6%	71.0%	67.1%	69.4%
Alcohol	62.6%	55.9%	59.3%	61.6%	60.5%	59.0%	58.4%	62.4%	62.1%	65.5%	60.2%	63.9%
Cigarettes	19.0%	18.4%	13.9%	16.4%	16.0%	17.6%	21.4%	27.6%	22.8%	29.9%	22.0%	28.8%
Smokeless Tobacco	10.8%	12.4%	7.5%	6.2%	8.9%	9.1%	11.9%	20.8%	6.6%	8.4%	9.0%	14.6%
Inhalants	7.3%	6.7%	5.9%	8.3%	6.6%	7.7%	8.4%	8.1%	10.1%	9.8%	9.3%	8.8%
Marijuana	29.8%	27.1%	24.3%	22.2%	26.6%	24.6%	26.9%	26.4%	27.1%	24.0%	26.9%	25.3%
Any Illicit (Ex. MJ)**	6.1%	6.0%	3.0%	4.7%	4.3%	5.4%	11.1%	10.6%	8.3%	10.8%	9.5%	10.6%
Crack/Cocaine	2.3%	2.8%	1.2%	2.0%	1.7%	2.3%	3.3%	4.5%	2.9%	3.6%	3.0%	4.0%
Hallucinogens	0.6%	2.5%	0.6%	0.7%	0.6%	1.6%	3.8%	2.8%	2.0%	2.3%	2.8%	2.5%
Ecstasy	2.6%	2.5%	1.2%	1.3%	1.8%	1.9%	4.2%	2.9%	2.1%	1.8%	3.0%	2.4%
Methamphetamine	0.1%	0.0%	0.6%	0.3%	0.4%	0.2%	1.2%	1.2%	1.1%	0.8%	1.1%	1.0%
Heroin	0.3%	0.8%	0.3%	0.9%	0.3%	0.9%	0.8%	1.6%	0.7%	1.2%	0.7%	1.4%
Uppers	1.2%	2.7%	0.7%	1.2%	0.9%	1.9%	5.6%	5.8%	4.1%	4.6%	4.7%	5.2%
Downers	1.0%	1.9%	0.9%	1.8%	1.0%	1.8%	4.9%	5.1%	3.1%	4.7%	3.9%	4.8%
Pain Pills	11.5%	10.7%	17.5%	14.3%	14.7%	12.7%	15.6%	16.2%	16.9%	15.4%	16.1%	15.7%
Steroids	0.6%	1.0%	0.5%	0.0%	0.6%	0.4%	1.3%	1.2%	0.2%	0.1%	0.8%	0.7%
Other Rx Drugs	9.1%	12.1%	12.8%	11.9%	11.0%	12.1%	14.5%	13.2%	14.5%	15.7%	14.5%	14.4%
OTC Perform. Enh.†	3.5%	9.5%	2.2%	1.6%	2.8%	5.4%	9.6%	12.2%	3.6%	4.7%	6.4%	8.4%
OTC Weight Loss Aids	0.9%	1.4%	2.1%	3.3%	1.6%	2.5%	2.2%	1.7%	6.2%	5.4%	4.2%	3.5%
Used Past Month												
Alcohol	43.3%	38.5%	39.1%	43.2%	40.7%	41.0%	39.6%	40.0%	40.0%	43.5%	39.5%	41.8%
Cigarettes	12.4%	13.5%	8.4%	10.2%	10.2%	11.9%	16.2%	22.0%	16.3%	22.7%	16.1%	22.4%
Smokeless Tobacco	7.3%	7.6%	5.9%	3.1%	6.5%	5.3%	8.3%	13.0%	3.4%	4.3%	5.6%	8.7%
Inhalants	4.3%	4.0%	4.5%	5.2%	4.5%	4.8%	5.2%	4.3%	6.0%	5.3%	5.5%	4.8%
Marijuana	21.2%	18.5%	16.0%	12.3%	18.3%	15.3%	18.9%	16.7%	16.0%	15.3%	17.3%	15.9%
# of Respondents	406	649	503	714	924	1,374	844	860	951	833	1,821	1,708

*Question worded differently than past year and past month

**Any Illicit Substance (Excluding Marijuana): See Report Chapter 8 for details

†Over-the-Counter Performance Enhancement Supplements

Appendix A
Table A-5

2006 Cook County Prevalences: Three Major Race-Ethnic Groups[†] by Grade
Percent of Respondents Using Indicated Substance

	8th Grade			10th Grade			12th Grade			Total		
	White	African American	Hispanic	White	African American	Hispanic	White	African American	Hispanic	White	African American	Hispanic
Lifetime												
Alcohol*	59.3%	59.3%	72.4%	79.0%	63.0%	78.2%	83.6%	74.5%	82.3%	73.3%	65.2%	76.5%
Cigarettes*	31.3%	34.1%	42.8%	41.3%	31.8%	49.6%	62.1%	41.8%	57.2%	44.3%	35.4%	48.2%
Marijuana*	15.3%	22.8%	19.3%	36.1%	34.6%	33.7%	44.1%	45.1%	38.8%	31.1%	33.9%	28.3%
Used Past Year												
Any Substance	59.2%	60.0%	67.2%	76.3%	60.6%	75.1%	82.1%	67.6%	76.1%	72.0%	62.4%	71.8%
Alcohol	51.6%	47.2%	60.5%	74.8%	51.6%	69.0%	78.7%	59.4%	71.3%	67.6%	52.5%	65.6%
Cigarettes	15.6%	9.3%	16.4%	20.1%	9.7%	21.2%	32.9%	14.3%	26.7%	22.5%	10.9%	20.3%
Smokeless Tobacco	7.1%	8.0%	9.7%	8.8%	5.6%	13.4%	15.6%	7.5%	13.5%	10.4%	6.9%	11.8%
Inhalants	10.4%	6.8%	16.4%	4.6%	3.3%	9.7%	5.9%	3.2%	5.6%	7.1%	4.4%	11.8%
Marijuana	14.4%	19.1%	15.2%	34.0%	28.5%	26.7%	36.9%	36.7%	27.6%	27.8%	28.0%	21.7%
Any Illicit (Ex. MJ)**	2.9%	0.6%	6.0%	7.9%	3.2%	5.6%	11.5%	3.8%	6.8%	7.2%	2.6%	6.0%
Crack/Cocaine	1.4%	0.0%	4.4%	2.3%	1.0%	3.0%	5.0%	0.2%	5.9%	2.9%	0.5%	4.3%
Hallucinogens	0.5%	0.0%	0.6%	2.4%	1.2%	0.0%	4.9%	0.5%	1.4%	2.5%	0.6%	0.6%
Ecstasy	1.0%	0.6%	1.6%	2.4%	1.5%	1.5%	4.9%	3.4%	1.0%	2.7%	1.8%	1.4%
Methamphetamine	0.0%	0.0%	0.4%	0.5%	0.3%	0.0%	1.1%	0.0%	0.4%	0.5%	0.1%	0.3%
Heroin	1.0%	0.0%	0.0%	2.4%	0.3%	1.2%	1.1%	0.2%	0.3%	1.5%	0.2%	0.4%
Uppers	0.5%	0.0%	0.7%	4.1%	0.4%	1.6%	5.5%	0.9%	0.3%	3.2%	0.4%	0.9%
Downers	0.5%	0.0%	0.9%	4.0%	0.7%	1.3%	4.4%	0.2%	1.4%	2.9%	0.3%	1.1%
Pain Pills	8.6%	19.0%	14.7%	12.0%	12.0%	16.8%	11.5%	17.3%	11.4%	10.6%	15.7%	14.6%
Steroids	1.4%	0.3%	0.8%	0.0%	1.1%	0.0%	0.5%	0.0%	0.3%	0.7%	0.5%	0.4%
Other Rx Drugs	12.9%	8.6%	13.2%	12.2%	11.2%	14.0%	7.1%	13.1%	12.8%	10.8%	10.9%	13.4%
OTC Perform. Enh. [†]	2.8%	1.6%	3.5%	8.4%	1.6%	3.4%	10.1%	4.4%	6.2%	7.0%	2.4%	4.1%
OTC Weight Loss Aids	0.9%	1.7%	0.7%	2.9%	0.7%	1.3%	5.8%	1.4%	1.6%	3.1%	1.2%	1.1%
Used Past Month												
Alcohol	36.0%	25.4%	41.2%	51.5%	31.4%	50.5%	66.0%	43.3%	54.6%	50.5%	33.0%	47.2%
Cigarettes	8.5%	4.5%	10.9%	15.7%	5.2%	14.0%	25.9%	10.6%	14.9%	16.4%	6.5%	12.8%
Smokeless Tobacco	3.3%	5.2%	6.4%	5.2%	4.1%	8.6%	9.8%	4.5%	8.2%	6.0%	4.6%	7.5%
Inhalants	6.6%	5.0%	11.2%	1.1%	2.9%	6.1%	2.2%	2.5%	2.3%	3.4%	3.5%	7.5%
Marijuana	8.5%	12.5%	10.9%	17.5%	21.6%	17.9%	23.2%	24.7%	17.1%	16.1%	19.6%	14.6%
# of Respondents	259	261	227	232	330	162	229	239	112	720	830	501

[†]Excludes Native American, Asian, and Other

*Question worded differently than past year and past month

**Any Illicit Substance (Excluding Marijuana): See Report Chapter 8 for details

[†]Over-the-Counter Performance Enhancement Supplements

Appendix A
Table A-6
2006 Problems and Risk Behaviors in the Past Year
Percent of Respondents

	Number of Students	Drunk or High at School in the Past Year		Sold Illegal Drugs in the Past Year		Rode in Car Driven by Drunk or High Teen		Rode in Car Driven by Drunk or High Adult		Gambled for Money in the Past Year		In a Physical Fight in the Past Year		Experienced Dating Violence in the Past Year
		Ever	6+ Times	Ever	6+ Times	Ever	6+ Times	Ever	6+ Times	Ever	6+ Times	Ever	6+ Times	Ever
		Gender												
Male	2,759	14.2%	5.0%	10.6%	5.1%	26.1%	11.2%	30.2%	10.9%	55.7%	19.7%	45.3%	13.3%	11.2%
Female	3,001	10.8%	2.7%	4.8%	1.4%	27.9%	8.0%	34.9%	9.3%	21.7%	3.5%	28.2%	6.5%	13.2%
Grade														
8th Grade	2,091	7.8%	1.7%	4.0%	1.3%	16.0%	4.6%	33.0%	9.8%	33.1%	8.3%	44.4%	13.7%	10.0%
10th Grade	2,024	12.4%	3.6%	8.6%	3.4%	27.9%	9.2%	34.2%	10.2%	40.3%	10.8%	35.3%	8.4%	12.4%
12th Grade	1,710	17.7%	6.5%	10.4%	4.9%	39.6%	15.9%	30.3%	10.4%	40.7%	15.0%	27.9%	6.6%	14.1%
Region														
Cook County	2,298	10.9%	3.4%	6.5%	2.2%	23.1%	7.1%	31.7%	8.1%	36.1%	10.2%	38.1%	9.4%	12.1%
CPS	924	12.7%	3.3%	6.7%	2.4%	20.6%	6.7%	33.1%	8.7%	36.5%	9.9%	41.6%	10.5%	15.5%
Non-CPS	1,374	9.7%	3.5%	6.4%	2.0%	24.7%	7.3%	30.8%	7.6%	35.8%	10.4%	35.7%	8.7%	9.9%
Non-Cook Counties	3,528	13.2%	4.0%	8.2%	3.7%	29.7%	11.1%	33.2%	11.4%	38.9%	11.8%	35.3%	10.0%	12.3%
Urban	1,821	13.4%	3.6%	8.6%	4.0%	28.9%	10.5%	30.7%	10.1%	38.9%	11.4%	35.5%	11.1%	11.4%
Rural	1,708	13.0%	4.4%	7.6%	3.3%	30.5%	11.8%	35.9%	12.8%	38.9%	12.2%	35.0%	8.8%	13.1%
Cook Cty Race Grps														
White	720	11.3%	3.2%	5.4%	1.8%	26.8%	9.9%	28.9%	7.8%	39.7%	11.9%	32.4%	6.2%	7.6%
African American	830	10.5%	3.6%	7.4%	2.5%	19.5%	5.5%	29.7%	8.5%	34.3%	10.7%	42.5%	12.2%	18.2%
Hispanic	501	11.3%	3.2%	5.9%	2.1%	25.1%	6.5%	39.7%	8.7%	35.3%	7.6%	41.3%	9.3%	8.8%
Total	5,826	12.3%	3.8%	7.5%	3.1%	27.1%	9.5%	32.6%	10.1%	37.8%	11.2%	36.4%	9.8%	12.2%

Appendix A
Table A-7

2006 Substance Use Prevalences for 6th Grade Illinois Youth
Percent of Respondents Using Indicated Substance

	Total Percent	Gender		Cook County			Non-Cook County		
		Male	Female	CPS	Non-CPS	Total	Urban	Rural	Total
Used Past Year									
Alcohol	20.7%	28.8%	19.6%	30.1%	25.9%	27.9%	22.5%	19.5%	21.3%
Cigarettes	5.2%	4.6%	4.1%	4.8%	4.7%	4.7%	3.4%	5.4%	4.2%
Smokeless Tobacco	2.7%	5.6%	3.1%	5.3%	2.9%	4.1%	3.7%	5.6%	4.5%
Inhalants	6.5%	9.0%	8.0%	5.1%	9.2%	7.3%	9.8%	7.8%	9.0%
Marijuana	2.5%	2.5%	1.3%	2.3%	1.2%	1.7%	2.5%	1.8%	2.2%
Used Past Month									
Alcohol	8.1%	15.2%	10.9%	19.8%	14.2%	16.8%	12.2%	7.6%	10.3%
Cigarettes	2.7%	2.0%	2.4%	2.8%	2.3%	2.5%	1.4%	2.6%	1.9%
Smokeless Tobacco	1.4%	3.6%	1.9%	4.3%	2.4%	3.3%	1.2%	4.1%	2.4%
Inhalants	4.0%	5.6%	5.7%	3.8%	6.5%	5.3%	7.0%	3.9%	5.7%
Marijuana	1.3%	1.2%	1.0%	1.7%	0.9%	1.3%	1.3%	0.9%	1.1%
# of Respondents	2,116	991	1,068	407	467	874	730	511	1,242

Appendix A
Table A-8

2006 Substance Use Prevalences for 6th Grade Illinois Youth:
Cook County: Chicago Public vs. other schools and Non-Cook Counties: Urban vs Rural by Gender
and Cook County by Three Major Racial-Ethnic Groups*
Percent of Respondents Using Indicated Substance

	Males		Females		Males		Females		White	African American	Hispanic
	CPS	Non-CPS	CPS	Non-CPS	Urban	Rural	Urban	Rural			
Used Past Year											
Alcohol	36.3%	26.7%	24.2%	24.8%	25.9%	29.0%	19.4%	11.7%	24.2%	28.1%	32.2%
Tobacco	6.4%	5.3%	3.2%	3.6%	2.6%	5.3%	4.1%	5.0%	4.1%	3.7%	4.9%
Smokeless Tobacco	7.4%	3.5%	3.4%	2.5%	3.9%	8.5%	3.5%	2.9%	2.8%	5.3%	3.3%
Inhalants	7.0%	9.2%	3.7%	9.5%	10.3%	8.5%	9.8%	7.5%	7.2%	6.4%	7.6%
Marijuana	3.2%	1.8%	0.8%	0.7%	2.7%	2.4%	2.2%	0.9%	0.6%	2.0%	2.2%
Used Past Month											
Alcohol	24.8%	14.1%	15.3%	13.6%	13.9%	10.4%	10.9%	5.1%	13.9%	17.7%	18.6%
Tobacco	3.4%	2.9%	2.3%	1.7%	0.6%	1.9%	2.1%	3.3%	1.6%	1.6%	3.1%
Smokeless Tobacco	5.4%	2.3%	2.6%	2.5%	1.6%	6.1%	0.9%	2.0%	2.2%	3.7%	3.3%
Inhalants	5.4%	5.5%	2.6%	7.7%	7.0%	3.8%	7.2%	4.2%	5.3%	3.6%	5.8%
Marijuana	1.9%	1.2%	0.8%	0.7%	1.0%	1.0%	1.3%	0.9%	0.6%	1.5%	1.3%
# of Respondents	187	228	231	208	342	233	361	267	215	289	255

* Excludes Native American, Asian, and Other

Appendix B-1a

Past Year Drug Prevalences: Total Respondents By Gender, Grade and Region

For “B-1a”, “B-2a”, “B-3a”, “B-4a”, “B-5a”, and “B-6a” – past year drug prevalence appendices:

- Tables for “Alcohol”, “Cigarettes”, “Smokeless Tobacco”, “Inhalants”, “Marijuana”, “Cocaine/Crack”, “Hallucinogens”, and “Ecstasy (MDMA)” have three columns of figures to show changes from 2002 to 2004 to 2006.
- Tables for Methamphetamine, Uppers, Downers, Pain Pills, Steroids, Other Prescription Drugs, OTC Performance Enhancing Drugs, and OTC Weight Loss Aids have only two columns of figures to show changes from 2004 to 2006, as those substances first appeared on the survey in 2004.

Alcohol -- Used Past Year All Respondents			
	2002	2004	2006
Grade			
8th Grade	43.7%	43.5%	48.3%
10th Grade	62.5%	63.7%	64.7%
12th Grade	74.9%	75.6%	72.3%
Gender			
Male	59.3%	57.9%	59.7%
Female	60.1%	62.2%	62.5%
Region			
Cook	61.2%	59.6%	59.6%
CPS	55.4%	60.0%	60.5%
Non-CPS	64.9%	59.4%	59.0%
Non-Cook	58.6%	60.4%	62.0%
Urban	59.3%	61.1%	60.2%
Rural	58.1%	59.7%	63.9%
Total	59.6%	60.1%	61.1%

Cigarettes -- Used Past Year All Respondents			
	2002	2004	2006
Grade			
8th Grade	16.0%	15.3%	14.6%
10th Grade	25.9%	27.3%	22.4%
12th Grade	38.5%	36.0%	30.6%
Gender			
Male	25.7%	24.9%	22.3%
Female	26.8%	26.3%	21.7%
Region			
Cook	24.0%	21.9%	17.0%
CPS	19.3%	21.9%	16.0%
Non-CPS	26.9%	21.8%	17.6%
Non-Cook	27.5%	28.0%	25.3%
Urban	26.1%	28.4%	22.0%
Rural	28.4%	27.6%	28.8%
Total	26.1%	25.6%	22.0%

Smokeless Tobacco -- Used Past Year All Respondents			
	2002	2004	2006
Grade			
8th Grade	4.4%	6.9%	7.6%
10th Grade	8.7%	9.3%	10.7%
12th Grade	13.4%	13.1%	14.2%
Gender			
Male	13.5%	14.1%	14.6%
Female	3.8%	5.3%	7.1%
Region			
Cook	6.5%	8.2%	9.0%
CPS	7.7%	7.5%	8.9%
Non-CPS	5.7%	8.6%	9.1%
Non-Cook	9.9%	10.5%	11.7%
Urban	8.3%	8.8%	9.0%
Rural	10.8%	12.2%	14.6%
Total	8.6%	9.6%	10.6%

Inhalants -- Used Past Year All Respondents			
	2002	2004	2006
Grade			
8th Grade	8.0%	10.0%	12.3%
10th Grade	6.4%	6.8%	6.5%
12th Grade	4.7%	5.9%	5.6%
Gender			
Male	7.1%	7.4%	7.8%
Female	5.9%	7.9%	8.9%
Region			
Cook	5.4%	6.3%	7.2%
CPS	4.0%	4.4%	6.6%
Non-CPS	6.3%	7.6%	7.7%
Non-Cook	7.1%	8.5%	9.1%
Urban	6.6%	7.8%	9.3%
Rural	7.5%	9.2%	8.8%
Total	6.5%	7.7%	8.3%

Marijuana -- Used Past Year All Respondents			
	2002	2004	2006
Grade			
8th Grade	12.4%	13.8%	14.5%
10th Grade	28.5%	29.2%	29.1%
12th Grade	37.8%	36.6%	35.8%
Gender			
Male	27.5%	27.6%	27.2%
Female	24.2%	24.5%	24.6%
Region			
Cook	27.5%	24.7%	25.4%
CPS	27.7%	27.3%	26.6%
Non-CPS	27.4%	23.0%	24.6%
Non-Cook	24.5%	26.7%	26.1%
Urban	27.4%	30.3%	26.9%
Rural	22.7%	23.1%	25.3%
Total	25.6%	25.9%	25.8%

Cocaine/Crack -- Used Past Year All Respondents			
	2002	2004	2006
Grade			
8th Grade	2.0%	2.3%	1.9%
10th Grade	4.2%	3.1%	2.6%
12th Grade	5.5%	5.0%	4.7%
Gender			
Male	4.4%	3.7%	3.4%
Female	3.4%	3.0%	2.6%
Region			
Cook	3.4%	2.6%	2.1%
CPS	3.3%	1.6%	1.7%
Non-CPS	3.5%	3.4%	2.3%
Non-Cook	4.1%	3.8%	3.5%
Urban	4.2%	4.2%	3.0%
Rural	4.1%	3.5%	4.0%
Total	3.8%	3.4%	3.0%

Hallucinogens -- Used Past Year			
All Respondents			
	2002	2004	2006
Grade			
8th Grade	1.5%	0.9%	0.7%
10th Grade	2.9%	1.8%	2.3%
12th Grade	5.3%	4.8%	3.5%
Gender			
Male	3.9%	3.3%	2.7%
Female	2.4%	1.5%	1.5%
Region			
Cook	2.2%	1.8%	1.2%
CPS	1.3%	0.5%	0.6%
Non-CPS	2.8%	2.7%	1.6%
Non-Cook	3.7%	2.7%	2.7%
Urban	3.3%	3.5%	2.8%
Rural	4.0%	1.9%	2.5%
Total	3.2%	2.4%	2.1%

Ecstasy (MDMA) -- Used Past Year			
All Respondents			
	2002	2004	2006
Grade			
8th Grade	0.9%	1.4%	1.3%
10th Grade	1.6%	1.6%	2.4%
12th Grade	2.9%	3.3%	3.6%
Gender			
Male	2.1%	2.2%	3.2%
Female	1.4%	1.9%	1.7%
Region			
Cook	1.1%	1.9%	1.8%
CPS	0.8%	1.6%	1.8%
Non-CPS	1.3%	2.2%	1.9%
Non-Cook	2.1%	2.1%	2.7%
Urban	2.1%	2.3%	3.0%
Rural	2.2%	1.8%	2.4%
Total	1.7%	2.0%	2.4%

Methamphetamine -- Used Past Year		
All Respondents		
	2004	2006
Grade		
8th Grade	1.3%	0.7%
10th Grade	1.4%	0.5%
12th Grade	2.1%	1.1%
Gender		
Male	1.8%	0.8%
Female	1.3%	0.7%
Region		
Cook	1.1%	0.3%
CPS	0.8%	0.4%
Non-CPS	1.3%	0.2%
Non-Cook	1.8%	1.1%
Urban	1.5%	1.1%
Rural	2.1%	1.0%
Total	1.6%	0.7%

Uppers -- Used Past Year		
All Respondents		
	2004	2006
Grade		
8th Grade	2.4%	2.1%
10th Grade	5.1%	3.6%
12th Grade	5.8%	5.4%
Gender		
Male	4.1%	4.3%
Female	4.6%	3.0%
Region		
Cook	2.6%	1.5%
CPS	1.0%	0.9%
Non-CPS	3.6%	1.9%
Non-Cook	5.5%	4.9%
Urban	5.8%	4.7%
Rural	5.1%	5.2%
Total	4.4%	3.6%

Downers -- Used Past Year		
All Respondents		
	2004	2006
Grade		
8th Grade	2.0%	1.2%
10th Grade	5.1%	3.7%
12th Grade	5.4%	5.2%
Gender		
Male	3.9%	3.7%
Female	4.2%	2.9%
Region		
Cook	2.5%	1.5%
CPS	1.3%	1.0%
Non-CPS	3.3%	1.8%
Non-Cook	5.0%	4.4%
Urban	5.4%	3.9%
Rural	4.7%	4.8%
Total	4.1%	3.2%

Pain Pills -- Used Past Year All Respondents		
	2004	2006
Grade		
8th Grade	13.7%	14.3%
10th Grade	15.8%	14.6%
12th Grade	14.2%	16.3%
Gender		
Male	13.0%	14.0%
Female	15.8%	16.0%
Region		
Cook	14.3%	13.5%
CPS	17.8%	14.7%
Non-CPS	12.0%	12.7%
Non-Cook	14.7%	15.9%
Urban	14.7%	16.1%
Rural	14.8%	15.7%
Total	14.5%	15.0%

Steroids -- Used Past Year All Respondents		
	2004	2006
Grade		
8th Grade	0.9%	0.6%
10th Grade	0.7%	0.5%
12th Grade	1.2%	0.9%
Gender		
Male	1.4%	1.1%
Female	0.4%	0.2%
Region		
Cook	1.0%	0.5%
CPS	0.4%	0.6%
Non-CPS	1.4%	0.4%
Non-Cook	0.8%	0.7%
Urban	0.6%	0.8%
Rural	1.1%	0.7%
Total	0.9%	0.6%

Other Prescription Drugs -- Used Past Year All Respondents		
	2004	2006
Grade		
8th Grade	13.9%	12.7%
10th Grade	15.5%	13.7%
12th Grade	14.3%	13.7%
Gender		
Male	13.3%	12.8%
Female	15.7%	13.9%
Region		
Cook	13.5%	11.7%
CPS	15.9%	11.0%
Non-CPS	12.0%	12.1%
Non-Cook	15.2%	14.4%
Urban	14.4%	14.5%
Rural	16.0%	14.4%
Total	14.6%	13.3%

OTC Performance Enhancing Drugs -- Used Past Year All Respondents		
	2004	2006
Grade		
8th Grade	4.5%	3.3%
10th Grade	7.7%	6.9%
12th Grade	10.7%	8.9%
Gender		
Male	10.4%	9.5%
Female	4.7%	3.2%
Region		
Cook	6.0%	4.3%
CPS	5.4%	2.8%
Non-CPS	6.3%	5.4%
Non-Cook	8.4%	7.4%
Urban	7.7%	6.4%
Rural	9.1%	8.4%
Total	7.5%	6.2%

OTC Weight Loss Aids -- Used Past Year All Respondents		
	2004	2006
Grade		
8th Grade	2.5%	1.7%
10th Grade	4.8%	2.9%
12th Grade	7.7%	5.3%
Gender		
Male	2.7%	1.6%
Female	6.8%	4.6%
Region		
Cook	4.9%	2.1%
CPS	5.2%	1.6%
Non-CPS	4.8%	2.5%
Non-Cook	4.8%	3.9%
Urban	5.1%	4.2%
Rural	4.5%	3.5%
Total	4.8%	3.2%

Appendix B-1b

***Past Month Drug Prevalences:
Total Respondents By Gender, Grade and Region***

Alcohol -- Used Past Month All Respondents			
	2002	2004	2006
Grade			
8th Grade	18.9%	19.1%	29.0%
10th Grade	36.1%	39.7%	42.6%
12th Grade	52.8%	53.0%	52.8%
Gender			
Male	35.9%	36.6%	40.0%
Female	34.5%	36.1%	41.6%
Region			
Cook	35.7%	34.5%	40.9%
CPS	34.3%	30.9%	40.7%
Non-CPS	36.6%	36.8%	41.0%
Non-Cook	34.6%	37.5%	40.6%
Urban	36.4%	37.0%	39.5%
Rural	33.5%	37.9%	41.8%
Total	35.0%	36.3%	40.7%

Cigarettes -- Used Past Month All Respondents			
	2002	2004	2006
Grade			
8th Grade	9.5%	9.8%	9.3%
10th Grade	18.1%	17.7%	16.0%
12th Grade	31.0%	27.0%	24.2%
Gender			
Male	18.8%	17.5%	16.8%
Female	19.2%	17.9%	15.3%
Region			
Cook	16.8%	13.6%	11.2%
CPS	13.8%	11.8%	10.2%
Non-CPS	18.8%	14.9%	11.9%
Non-Cook	20.3%	20.1%	19.1%
Urban	19.6%	20.7%	16.1%
Rural	20.6%	19.6%	22.4%
Total	18.9%	17.7%	16.0%

Smokeless Tobacco -- Used Past Month All Respondents			
	2002	2004	2006
Grade			
8th Grade	2.4%	2.7%	4.3%
10th Grade	3.4%	3.8%	6.9%
12th Grade	6.3%	5.7%	8.9%
Gender			
Male	5.9%	6.2%	9.4%
Female	1.8%	2.0%	4.0%
Region			
Cook	2.7%	3.9%	5.8%
CPS	3.6%	3.9%	6.5%
Non-CPS	2.2%	4.0%	5.3%
Non-Cook	4.6%	4.0%	7.1%
Urban	4.1%	3.4%	5.6%
Rural	4.9%	4.6%	8.7%
Total	3.9%	4.0%	6.6%

Inhalants -- Used Past Month All Respondents			
	2002	2004	2006
Grade			
8th Grade	4.2%	5.0%	8.0%
10th Grade	2.8%	2.8%	3.4%
12th Grade	2.1%	2.3%	3.1%
Gender			
Male	3.7%	3.3%	4.5%
Female	2.5%	3.5%	5.4%
Region			
Cook	2.9%	2.5%	4.7%
CPS	2.7%	2.1%	4.5%
Non-CPS	2.9%	2.8%	4.8%
Non-Cook	3.3%	4.0%	5.2%
Urban	3.3%	3.3%	5.5%
Rural	3.3%	4.7%	4.8%
Total	3.1%	3.4%	5.0%

Marijuana -- Used Past Month All Respondents			
	2002	2004	2006
Grade			
8th Grade	7.2%	8.1%	9.0%
10th Grade	16.0%	17.4%	18.7%
12th Grade	23.9%	21.8%	23.2%
Gender			
Male	17.4%	17.0%	18.5%
Female	13.6%	13.7%	14.9%
Region			
Cook	16.3%	14.9%	16.5%
CPS	16.3%	14.9%	18.3%
Non-CPS	16.4%	14.9%	15.3%
Non-Cook	14.7%	15.7%	16.6%
Urban	16.9%	17.7%	17.3%
Rural	13.4%	13.6%	15.9%
Total	15.3%	15.4%	16.6%

Number of Students All Respondents			
	2002	2004	2006
Grade			
8th Grade	1,855	1,998	2,091
10th Grade	1,795	1,909	2,024
12th Grade	1,572	1,683	1,710
Gender**			
Male	2,484	2,680	2,759
Female	2,634	2,840	3,001
Region			
Cook	1,999	2,135	2,298
CPS	782	853	924
Non-CPS	1,217	1,283	1,374
Non-Cook	3,223	3,454	3,528
Urban	1,202	1,732	1,820
Rural	2,021	1,722	1,708
Total	5,222	5,590	5,825

**Gender is missing for 104 in 2002, 70 in 2004, and 65 in 2006.

Appendix B-2a

Past Year Drug Prevalences: Total Respondents: Grade By Gender

For “B-1a”, “B-2a”, “B-3a”, “B-4a”, “B-5a”, and “B-6a” – past year drug prevalence appendices:

- Tables for “Alcohol”, “Cigarettes”, “Smokeless Tobacco”, “Inhalants”, “Marijuana”, “Cocaine/Crack”, “Hallucinogens”, and “Ecstasy (MDMA)” have three columns of figures to show changes from 2002 to 2004 to 2006.
- Tables for Methamphetamine, Uppers, Downers, Pain Pills, Steroids, Other Prescription Drugs, OTC Performance Enhancing Drugs, and OTC Weight Loss Aids have only two columns of figures to show changes from 2004 to 2006, as those substances first appeared on the survey in 2004.

Alcohol -- Used Past Year			
Grade by Gender			
	2002	2004	2006
Male	59.3%	57.9%	59.7%
8th	44.4%	43.2%	46.4%
10th	60.6%	59.7%	62.2%
12th	75.1%	73.8%	72.2%
Female	60.1%	62.2%	62.5%
8th	43.4%	43.9%	50.1%
10th	64.3%	66.8%	67.1%
12th	74.8%	77.3%	72.2%
Total	59.6%	60.1%	61.1%

Cigarettes -- Used Past Year			
Grade by Gender			
	2002	2004	2006
Male	25.7%	24.9%	22.3%
8th	13.6%	13.2%	13.5%
10th	25.4%	26.6%	21.8%
12th	39.9%	37.6%	33.2%
Female	26.8%	26.3%	21.7%
8th	18.7%	17.5%	15.7%
10th	26.1%	27.5%	22.6%
12th	37.3%	34.6%	28.2%
Total	26.1%	25.6%	22.0%

Smokeless Tobacco -- Used Past Year			
Grade by Gender			
	2002	2004	2006
Male	13.5%	14.1%	14.6%
8th	6.1%	9.3%	8.9%
10th	14.0%	14.4%	14.6%
12th	21.4%	19.9%	21.5%
Female	3.8%	5.3%	7.1%
8th	2.9%	4.6%	6.8%
10th	3.7%	4.6%	7.1%
12th	5.0%	6.8%	7.7%
Total	8.6%	9.6%	10.6%

Inhalants -- Used Past Year			
Grade by Gender			
	2002	2004	2006
Male	7.1%	7.4%	7.8%
8th	7.6%	9.8%	10.7%
10th	6.8%	5.8%	5.3%
12th	6.9%	6.4%	7.2%
Female	5.9%	7.9%	8.9%
8th	8.6%	10.1%	13.7%
10th	6.2%	7.7%	7.6%
12th	2.6%	5.5%	4.3%
Total	6.5%	7.7%	8.3%

Marijuana -- Used Past Year			
Grade by Gender			
	2002	2004	2006
Male	27.5%	27.6%	27.2%
8th	12.8%	15.1%	16.5%
10th	30.4%	31.9%	29.8%
12th	41.1%	38.1%	36.8%
Female	24.2%	24.5%	24.6%
8th	12.3%	12.6%	12.6%
10th	27.0%	26.4%	28.5%
12th	34.5%	35.6%	34.9%
Total	25.6%	25.9%	25.8%

Cocaine/Crack -- Used Past Year			
Grade by Gender			
	2002	2004	2006
Male	4.4%	3.7%	3.4%
8th	1.6%	1.9%	1.8%
10th	4.9%	3.1%	3.3%
12th	6.9%	6.7%	5.4%
Female	3.4%	3.0%	2.6%
8th	2.4%	2.6%	2.0%
10th	3.7%	3.0%	2.0%
12th	4.2%	3.5%	4.1%
Total	3.8%	3.4%	3.0%

Hallucinogens -- Used Past Year			
Grade by Gender			
	2002	2004	2006
Male	3.9%	3.3%	2.7%
8th	1.2%	1.0%	0.8%
10th	3.5%	2.2%	3.1%
12th	7.5%	7.3%	4.4%
Female	2.4%	1.5%	1.5%
8th	1.8%	0.8%	0.5%
10th	2.3%	1.4%	1.5%
12th	3.3%	2.6%	2.8%
Total	3.2%	2.4%	2.1%

Ecstasy (MDMA) -- Used Past Year			
Grade by Gender			
	2002	2004	2006
Male	2.1%	2.2%	3.2%
8th	0.9%	1.2%	1.4%
10th	1.5%	1.3%	3.0%
12th	4.0%	4.4%	5.4%
Female	1.4%	1.9%	1.7%
8th	0.8%	1.5%	1.3%
10th	1.6%	1.9%	1.8%
12th	1.7%	2.3%	2.0%
Total	1.7%	2.0%	2.4%

Methamphetamine -- Used Past Year		
Grade by Gender		
	2004	2006
Male	1.8%	0.8%
8th	1.7%	0.4%
10th	1.1%	0.3%
12th	2.8%	1.7%
Female	1.3%	0.7%
8th	1.0%	0.9%
10th	1.7%	0.7%
12th	1.4%	0.7%
Total	1.6%	0.7%

Uppers -- Used Past Year		
Grade by Gender		
	2004	2006
Male	4.1%	4.3%
8th	2.6%	2.6%
10th	4.2%	4.1%
12th	5.8%	6.7%
Female	4.6%	3.0%
8th	2.3%	1.7%
10th	5.8%	3.2%
12th	5.8%	4.3%
Total	4.4%	3.6%

Downers -- Used Past Year		
Grade by Gender		
	2004	2006
Male	3.9%	3.7%
8th	1.5%	1.2%
10th	4.5%	4.3%
12th	6.2%	5.8%
Female	4.2%	2.9%
8th	2.5%	1.2%
10th	5.7%	3.1%
12th	4.6%	4.6%
Total	4.1%	3.2%

Pain Pills -- Used Past Year		
Grade by Gender		
	2004	2006
Male	13.0%	14.0%
8th	11.2%	11.0%
10th	12.8%	14.4%
12th	15.4%	17.3%
Female	15.8%	16.0%
8th	15.7%	17.4%
10th	18.0%	15.0%
12th	13.3%	15.4%
Total	14.5%	15.0%

Steroids -- Used Past Year		
Grade by Gender		
	2004	2006
Male	1.4%	1.1%
8th	1.3%	1.0%
10th	1.1%	0.5%
12th	1.7%	1.9%
Female	0.4%	0.2%
8th	0.3%	0.1%
10th	0.3%	0.4%
12th	0.7%	0.0%
Total	0.9%	0.6%

Other Prescription Drugs -- Used Past Year		
Grade by Gender		
	2004	2006
Male	13.3%	12.8%
8th	12.6%	12.3%
10th	12.5%	12.7%
12th	15.0%	13.4%
Female	15.7%	13.9%
8th	15.2%	13.1%
10th	17.9%	14.8%
12th	13.7%	14.0%
Total	14.6%	13.3%

OTC Performance Enhancing Drugs -- Used Past Year		
Grade by Gender		
	2004	2006
Male	10.4%	9.5%
8th	5.4%	4.0%
10th	11.2%	11.1%
12th	15.8%	14.2%
Female	4.7%	3.2%
8th	3.6%	2.7%
10th	4.5%	3.0%
12th	6.2%	4.2%
Total	7.5%	6.2%

OTC Weight Loss Aids -- Used Past Year		
Grade by Gender		
	2004	2006
Male	2.7%	1.6%
8th	1.7%	1.1%
10th	2.5%	1.5%
12th	4.3%	2.5%
Female	6.8%	4.6%
8th	3.3%	2.2%
10th	6.7%	4.3%
12th	10.8%	7.9%
Total	4.8%	3.2%

Appendix B-2b

*Past Month Drug Prevalences:
Total Respondents: Grade By Gender*

Alcohol -- Used Past Month			
Grade by Gender			
	2002	2004	2006
Male	35.9%	36.6%	40.0%
8th	18.6%	18.4%	27.2%
10th	36.6%	39.0%	40.7%
12th	55.0%	56.1%	54.1%
Female	34.5%	36.1%	41.6%
8th	19.6%	19.6%	30.5%
10th	35.3%	40.0%	44.5%
12th	50.8%	50.2%	51.8%
Total	35.0%	36.3%	40.7%

Cigarettes -- Used Past Month			
Grade by Gender			
	2002	2004	2006
Male	18.8%	17.5%	16.8%
8th	7.8%	8.7%	9.1%
10th	17.4%	17.4%	15.8%
12th	32.8%	28.5%	27.1%
Female	19.2%	17.9%	15.3%
8th	11.4%	10.9%	9.5%
10th	18.3%	18.0%	16.2%
12th	29.5%	25.5%	21.4%
Total	18.9%	17.7%	16.0%

Smokeless Tobacco -- Used Past Month			
Grade by Gender			
	2002	2004	2006
Male	5.9%	6.2%	9.4%
8th	2.8%	3.6%	4.6%
10th	4.7%	6.5%	10.5%
12th	10.7%	8.9%	13.8%
Female	1.8%	2.0%	4.0%
8th	1.8%	1.8%	3.9%
10th	1.9%	1.3%	3.5%
12th	1.9%	2.9%	4.5%
Total	3.9%	4.0%	6.6%

Inhalants -- Used Past Month			
Grade by Gender			
	2002	2004	2006
Male	3.7%	3.3%	4.5%
8th	3.9%	5.1%	6.1%
10th	3.8%	2.3%	3.0%
12th	3.3%	2.4%	4.3%
Female	2.5%	3.5%	5.4%
8th	4.6%	4.9%	9.5%
10th	1.8%	3.3%	3.9%
12th	1.1%	2.2%	2.1%
Total	3.1%	3.4%	5.0%

Marijuana -- Used Past Month			
Grade by Gender			
	2002	2004	2006
Male	17.4%	17.0%	18.5%
8th	7.3%	9.4%	10.7%
10th	18.0%	18.8%	19.8%
12th	28.2%	24.4%	26.1%
Female	13.6%	13.7%	14.9%
8th	7.4%	6.8%	7.4%
10th	14.2%	15.5%	18.0%
12th	19.9%	19.5%	20.5%
Total	15.3%	15.4%	16.6%

Number of Students			
Grade by Gender**			
	2002	2004	2006
Male	2,484	2,680	2,759
8th	888	987	969
10th	817	893	973
12th	779	800	817
Female	2,634	2,840	3,001
8th	916	976	1,089
10th	943	992	1,027
12th	776	872	885
Total	5,222	5,590	5,825

**Gender is missing for 104 in 2002, 70 in 2004, and 65 in 2006.

Appendix B-3a

Past Year Drug Prevalences: Total Respondents: Region by Gender

For “B-1a”, “B-2a”, “B-3a”, “B-4a”, “B-5a”, and “B-6a” – past year drug prevalence appendices:

- Tables for “Alcohol”, “Cigarettes”, “Smokeless Tobacco”, “Inhalants”, “Marijuana”, “Cocaine/Crack”, “Hallucinogens”, and “Ecstasy (MDMA)” have three columns of figures to show changes from 2002 to 2004 to 2006.
- Tables for Methamphetamine, Uppers, Downers, Pain Pills, Steroids, Other Prescription Drugs, OTC Performance Enhancing Drugs, and OTC Weight Loss Aids have only two columns of figures to show changes from 2004 to 2006, as those substances first appeared on the survey in 2004.

Alcohol -- Used Past Year			
Region by Gender			
	2002	2004	2006
Male	59.3%	57.9%	59.7%
Cook	62.6%	56.6%	58.4%
Non-Cook	57.5%	58.6%	60.4%
Urban	59.7%	59.6%	58.4%
Rural	56.1%	57.7%	62.4%
Female	60.1%	62.2%	62.5%
Cook	60.6%	62.5%	60.6%
Non-Cook	59.8%	61.9%	63.7%
Urban	59.2%	62.5%	62.1%
Rural	60.2%	61.4%	65.5%
Total	59.6%	60.1%	61.1%

Cigarettes -- Used Past Year			
Region by Gender			
	2002	2004	2006
Male	25.7%	24.9%	22.3%
Cook	23.7%	22.9%	18.6%
Non-Cook	27.0%	26.1%	24.5%
Urban	26.5%	26.1%	21.4%
Rural	27.2%	26.1%	27.6%
Female	26.8%	26.3%	21.7%
Cook	24.7%	21.0%	15.4%
Non-Cook	28.2%	29.8%	26.1%
Urban	25.9%	30.6%	22.8%
Rural	29.6%	28.9%	29.9%
Total	26.1%	25.6%	22.0%

Smokeless Tobacco -- Used Past Year			
Region by Gender			
	2002	2004	2006
Male	13.5%	14.1%	14.6%
Cook	9.8%	11.2%	11.8%
Non-Cook	15.6%	15.9%	16.4%
Urban	12.5%	13.6%	11.9%
Rural	17.5%	18.1%	20.8%
Female	3.8%	5.3%	7.1%
Cook	3.7%	5.7%	6.7%
Non-Cook	3.9%	5.0%	7.4%
Urban	3.8%	3.9%	6.6%
Rural	3.9%	6.1%	8.4%
Total	8.6%	9.6%	10.6%

Inhalants -- Used Past Year			
Region by Gender			
	2002	2004	2006
Male	7.1%	7.4%	7.8%
Cook	6.2%	6.1%	6.9%
Non-Cook	7.7%	8.2%	8.3%
Urban	6.8%	7.5%	8.4%
Rural	8.2%	8.9%	8.1%
Female	5.9%	7.9%	8.9%
Cook	4.8%	6.5%	7.3%
Non-Cook	6.7%	8.8%	9.9%
Urban	6.6%	8.0%	10.1%
Rural	6.7%	9.6%	9.8%
Total	6.5%	7.7%	8.3%

Marijuana -- Used Past Year			
Region by Gender			
	2002	2004	2006
Male	27.5%	27.6%	27.2%
Cook	29.5%	27.7%	28.2%
Non-Cook	26.4%	27.5%	26.7%
Urban	31.0%	31.3%	26.9%
Rural	23.6%	23.6%	26.4%
Female	24.2%	24.5%	24.6%
Cook	26.0%	22.0%	23.1%
Non-Cook	23.0%	26.1%	25.6%
Urban	24.4%	29.6%	27.1%
Rural	22.1%	22.6%	24.0%
Total	25.6%	25.9%	25.8%

Cocaine/Crack -- Used Past Year			
Region by Gender			
	2002	2004	2006
Male	4.4%	3.7%	3.4%
Cook	4.6%	3.1%	2.6%
Non-Cook	4.2%	4.1%	3.9%
Urban	4.0%	4.8%	3.3%
Rural	4.3%	3.4%	4.5%
Female	3.4%	3.0%	2.6%
Cook	2.4%	2.3%	1.7%
Non-Cook	4.0%	3.5%	3.3%
Urban	4.5%	3.5%	2.9%
Rural	3.8%	3.4%	3.6%
Total	3.8%	3.4%	3.0%

Hallucinogens -- Used Past Year			
Region by Gender			
	2002	2004	2006
Male	3.9%	3.3%	2.7%
Cook	3.4%	3.0%	1.7%
Non-Cook	4.3%	3.5%	3.3%
Urban	3.7%	4.9%	3.8%
Rural	4.6%	2.0%	2.8%
Female	2.4%	1.5%	1.5%
Cook	1.3%	0.9%	0.7%
Non-Cook	3.2%	2.0%	2.1%
Urban	3.0%	2.2%	2.0%
Rural	3.4%	1.8%	2.3%
Total	3.2%	2.4%	2.1%

Ecstasy (MDMA) -- Used Past Year			
Region by Gender			
	2002	2004	2006
Male	2.1%	2.2%	3.2%
Cook	1.6%	2.3%	2.5%
Non-Cook	2.4%	2.1%	3.6%
Urban	2.4%	2.2%	4.2%
Rural	2.4%	2.0%	2.9%
Female	1.4%	1.9%	1.7%
Cook	0.7%	1.6%	1.3%
Non-Cook	1.8%	2.1%	2.0%
Urban	1.7%	2.4%	2.1%
Rural	1.9%	1.7%	1.8%
Total	1.7%	2.0%	2.4%

Methamphetamine -- Used Past Year		
Region by Gender		
	2004	2006
Male	1.8%	0.8%
Cook	1.9%	0.1%
Non-Cook	1.8%	1.2%
Urban	1.7%	1.2%
Rural	1.9%	1.2%
Female	1.3%	0.7%
Cook	0.5%	0.5%
Non-Cook	1.9%	0.9%
Urban	1.4%	1.1%
Rural	2.3%	0.8%
Total	1.6%	0.7%

Uppers -- Used Past Year		
Region by Gender		
	2004	2006
Male	4.1%	4.3%
Cook	2.6%	2.1%
Non-Cook	5.0%	5.7%
Urban	5.5%	5.6%
Rural	4.4%	5.8%
Female	4.6%	3.0%
Cook	2.6%	1.0%
Non-Cook	5.9%	4.3%
Urban	6.1%	4.1%
Rural	5.8%	4.6%
Total	4.4%	3.6%

Downers -- Used Past Year		
Region by Gender		
	2004	2006
Male	3.9%	3.7%
Cook	2.1%	1.5%
Non-Cook	5.0%	5.0%
Urban	5.5%	4.9%
Rural	4.5%	5.1%
Female	4.2%	2.9%
Cook	2.9%	1.5%
Non-Cook	5.1%	3.8%
Urban	5.3%	3.1%
Rural	5.0%	4.7%
Total	4.1%	3.2%

Pain Pills -- Used Past Year		
Region by Gender		
	2004	2006
Male	13.0%	14.0%
Cook	11.2%	11.0%
Non-Cook	14.1%	15.9%
Urban	14.0%	15.6%
Rural	14.1%	16.2%
Female	15.8%	16.0%
Cook	16.5%	15.6%
Non-Cook	15.3%	16.2%
Urban	15.5%	16.9%
Rural	15.1%	15.4%
Total	14.5%	15.0%

Steroids -- Used Past Year		
Region by Gender		
	2004	2006
Male	1.4%	1.1%
Cook	1.3%	0.8%
Non-Cook	1.4%	1.3%
Urban	1.1%	1.3%
Rural	1.8%	1.2%
Female	0.4%	0.2%
Cook	0.6%	0.2%
Non-Cook	0.3%	0.2%
Urban	0.1%	0.2%
Rural	0.5%	0.1%
Total	0.9%	0.6%

Other Prescription Drugs -- Used Past Year		
Region by Gender		
	2004	2006
Male	13.3%	12.8%
Cook	10.6%	10.9%
Non-Cook	14.8%	13.9%
Urban	14.3%	14.5%
Rural	15.2%	13.2%
Female	15.7%	13.9%
Cook	15.9%	12.3%
Non-Cook	15.6%	15.1%
Urban	14.8%	14.5%
Rural	16.4%	15.7%
Total	14.6%	13.3%

OTC Performance Enhancing Drugs -- Used Past Year		
Region by Gender		
	2004	2006
Male	10.4%	9.5%
Cook	8.5%	7.2%
Non-Cook	11.5%	10.9%
Urban	11.2%	9.6%
Rural	11.8%	12.2%
Female	4.7%	3.2%
Cook	3.8%	1.8%
Non-Cook	5.3%	4.1%
Urban	4.1%	3.6%
Rural	6.4%	4.7%
Total	7.5%	6.2%

OTC Weight Loss Aids -- Used Past Year		
Region by Gender		
	2004	2006
Male	2.7%	1.6%
Cook	3.7%	1.2%
Non-Cook	2.2%	1.9%
Urban	1.3%	2.2%
Rural	3.2%	1.7%
Female	6.8%	4.6%
Cook	6.0%	2.8%
Non-Cook	7.3%	5.8%
Urban	8.9%	6.2%
Rural	5.8%	5.4%
Total	4.8%	3.2%

Appendix B-3b

***Past Month Drug Prevalences:
Total Respondents: Region by Gender***

Alcohol -- Used Past Month Region by Gender			
	2002	2004	2006
Male	35.9%	36.6%	40.0%
Cook	36.6%	35.5%	40.3%
Non-Cook	35.5%	37.2%	39.8%
Urban	37.3%	36.6%	39.6%
Rural	34.4%	37.7%	40.0%
Female	34.5%	36.1%	41.6%
Cook	35.3%	33.6%	41.5%
Non-Cook	34.0%	37.8%	41.6%
Urban	36.0%	37.5%	40.0%
Rural	32.7%	38.1%	43.5%
Total	35.0%	36.3%	40.7%

Cigarettes -- Used Past Month Region by Gender			
	2002	2004	2006
Male	18.8%	17.5%	16.8%
Cook	16.6%	13.1%	13.1%
Non-Cook	20.1%	20.0%	19.1%
Urban	20.5%	20.2%	16.2%
Rural	19.8%	19.8%	22.0%
Female	19.2%	17.9%	15.3%
Cook	17.4%	14.3%	9.5%
Non-Cook	20.4%	20.2%	19.3%
Urban	18.9%	21.2%	16.3%
Rural	21.3%	19.2%	22.7%
Total	18.9%	17.7%	16.0%

Smokeless Tobacco -- Used Past Month Region by Gender			
	2002	2004	2006
Male	5.9%	6.2%	9.4%
Cook	3.6%	5.6%	7.5%
Non-Cook	7.2%	6.5%	10.7%
Urban	5.4%	5.5%	8.3%
Rural	8.3%	7.4%	13.0%
Female	1.8%	2.0%	4.0%
Cook	2.0%	2.5%	4.2%
Non-Cook	1.7%	1.6%	3.8%
Urban	2.5%	1.3%	3.4%
Rural	1.3%	2.0%	4.3%
Total	3.9%	4.0%	6.6%

Inhalants -- Used Past Month Region by Gender			
	2002	2004	2006
Male	3.7%	3.3%	4.5%
Cook	3.6%	2.5%	4.1%
Non-Cook	3.7%	3.8%	4.7%
Urban	4.0%	3.1%	5.2%
Rural	3.5%	4.5%	4.3%
Female	2.5%	3.5%	5.4%
Cook	2.3%	2.5%	4.9%
Non-Cook	2.7%	4.2%	5.7%
Urban	2.6%	3.5%	6.0%
Rural	2.7%	4.9%	5.3%
Total	3.1%	3.4%	5.0%

Marijuana -- Used Past Month Region by Gender			
	2002	2004	2006
Male	17.4%	17.0%	18.5%
Cook	18.4%	16.8%	19.5%
Non-Cook	16.9%	17.1%	17.8%
Urban	20.5%	18.8%	18.9%
Rural	14.7%	15.4%	16.7%
Female	13.6%	13.7%	14.9%
Cook	14.9%	13.1%	13.8%
Non-Cook	12.7%	14.1%	15.6%
Urban	13.6%	16.5%	16.0%
Rural	12.1%	11.7%	15.3%
Total	15.3%	15.4%	16.6%

Number of Students Region by Gender**			
	2002	2004	2006
Male	2,484	2,680	2,759
Cook	919	985	1,055
Non-Cook	1,566	1,695	1,704
Urban	585	858	844
Rural	981	837	860
Female	2,634	2,840	3,001
Cook	1,039	1,131	1,218
Non-Cook	1,595	1,709	1,783
Urban	594	854	951
Rural	1,002	855	833
Total	5,222	5,590	5,825

**Gender is missing for 104 in 2002, 70 in 2004, and 65 in 2006.

Appendix B-4a

Past Year Drug Prevalences: Total Respondents: Region by Grade

For “B-1a”, “B-2a”, “B-3a”, “B-4a”, “B-5a”, and “B-6a” – past year drug prevalence appendices:

- Tables for “Alcohol”, “Cigarettes”, “Smokeless Tobacco”, “Inhalants”, “Marijuana”, “Cocaine/Crack”, “Hallucinogens”, and “Ecstasy (MDMA)” have three columns of figures to show changes from 2002 to 2004 to 2006.
- Tables for Methamphetamine, Uppers, Downers, Pain Pills, Steroids, Other Prescription Drugs, OTC Performance Enhancing Drugs, and OTC Weight Loss Aids have only two columns of figures to show changes from 2004 to 2006, as those substances first appeared on the survey in 2004.

Alcohol -- Used Past Year				
Region by Grade				
		2002	2004	2006
8 t h	Cook County	45.6%	44.0%	51.3%
	Non-Cook	42.4%	43.2%	46.3%
	Urban	44.3%	41.8%	46.0%
	Rural	41.2%	44.2%	46.7%
1 0 t h	Cook County	66.4%	61.5%	61.4%
	Non-Cook	60.0%	65.1%	66.9%
	Urban	60.8%	64.6%	63.2%
	Rural	59.5%	65.6%	70.2%
1 2 t h	Cook County	75.1%	77.6%	68.3%
	Non-Cook	74.8%	74.5%	74.7%
	Urban	76.4%	73.6%	74.7%
	Rural	73.8%	75.7%	74.6%
Total		59.6%	60.1%	61.1%

Cigarettes -- Used Past Year				
Region by Grade				
		2002	2004	2006
8 t h	Cook County	16.7%	13.6%	13.4%
	Non-Cook	15.5%	16.4%	15.4%
	Urban	14.1%	15.3%	14.0%
	Rural	16.4%	17.2%	17.2%
1 0 t h	Cook County	23.6%	22.2%	15.4%
	Non-Cook	27.3%	30.6%	27.0%
	Urban	26.4%	29.2%	23.2%
	Rural	27.9%	32.2%	30.4%
1 2 t h	Cook County	34.1%	32.3%	23.6%
	Non-Cook	40.9%	38.1%	34.8%
	Urban	40.6%	38.4%	30.8%
	Rural	41.0%	37.8%	39.0%
Total		26.1%	25.6%	22.0%

Smokeless Tobacco -- Used Past Year				
Region by Grade				
		2002	2004	2006
8 t h	Cook County	3.8%	6.4%	7.9%
	Non-Cook	4.8%	7.3%	7.4%
	Urban	4.1%	4.1%	5.8%
	Rural	5.3%	9.6%	9.5%
1 0 t h	Cook County	7.7%	7.2%	8.3%
	Non-Cook	9.4%	10.7%	12.3%
	Urban	8.2%	8.4%	9.6%
	Rural	10.1%	13.1%	14.9%
1 2 t h	Cook County	8.5%	11.8%	11.2%
	Non-Cook	16.0%	13.9%	16.0%
	Urban	13.8%	13.0%	12.5%
	Rural	17.2%	14.9%	19.7%
Total		8.6%	9.6%	10.6%

Inhalants -- Used Past Year				
Region by Grade				
		2002	2004	2006
8 t h	Cook County	6.4%	8.3%	11.2%
	Non-Cook	9.1%	11.1%	13.1%
	Urban	8.8%	10.5%	13.8%
	Rural	9.3%	11.5%	12.2%
1 0 t h	Cook County	5.2%	4.7%	5.0%
	Non-Cook	7.3%	8.1%	7.5%
	Urban	7.0%	7.4%	8.1%
	Rural	7.4%	9.0%	6.9%
1 2 t h	Cook County	4.3%	5.7%	4.7%
	Non-Cook	4.9%	6.0%	6.2%
	Urban	3.4%	5.8%	4.8%
	Rural	5.7%	6.1%	7.7%
Total		6.5%	7.7%	8.3%

Marijuana -- Used Past Year				
Region by Grade				
		2002	2004	2006
8 t h	Cook County	12.8%	15.2%	15.1%
	Non-Cook	12.1%	12.9%	14.0%
	Urban	14.7%	11.8%	15.2%
	Rural	10.4%	13.7%	12.5%
1 0 t h	Cook County	32.1%	26.1%	29.3%
	Non-Cook	26.1%	31.2%	28.9%
	Urban	30.8%	34.1%	28.1%
	Rural	23.4%	28.0%	29.7%
1 2 t h	Cook County	40.8%	35.3%	33.9%
	Non-Cook	36.1%	37.3%	37.0%
	Urban	39.3%	41.8%	40.3%
	Rural	34.4%	31.4%	33.6%
Total		25.6%	25.9%	25.8%

Cocaine/Crack -- Used Past Year				
Region by Grade				
		2002	2004	2006
8 t h	Cook County	1.4%	2.4%	1.7%
	Non-Cook	2.4%	2.2%	2.0%
	Urban	3.6%	1.1%	1.6%
	Rural	1.7%	3.0%	2.5%
1 0 t h	Cook County	4.6%	2.1%	1.8%
	Non-Cook	4.0%	3.8%	3.1%
	Urban	4.1%	4.1%	3.0%
	Rural	3.9%	3.5%	3.3%
1 2 t h	Cook County	4.5%	3.6%	2.9%
	Non-Cook	6.1%	5.7%	5.7%
	Urban	5.0%	6.9%	4.9%
	Rural	6.6%	4.1%	6.6%
Total		3.8%	3.4%	3.0%

Hallucinogens -- Used Past Year				
Region by Grade				
		2002	2004	2006
8 t h	Cook County	1.3%	1.1%	0.5%
	Non-Cook	1.7%	0.8%	0.9%
	Urban	1.8%	0.9%	1.0%
	Rural	1.7%	0.7%	0.8%
1 0 t h	Cook County	1.8%	0.7%	1.2%
	Non-Cook	3.6%	2.4%	3.0%
	Urban	3.5%	2.7%	3.5%
	Rural	3.7%	2.1%	2.4%
1 2 t h	Cook County	4.0%	4.2%	2.2%
	Non-Cook	3.5%	3.2%	3.9%
	Urban	5.0%	6.5%	4.3%
	Rural	6.6%	3.4%	4.4%
Total		3.2%	2.4%	2.1%

Ecstasy (MDMA) -- Used Past Year				
Region by Grade				
		2002	2004	2006
8 t h	Cook County	0.6%	1.7%	0.9%
	Non-Cook	1.1%	1.2%	1.6%
	Urban	0.7%	0.5%	1.4%
	Rural	1.3%	1.6%	1.8%
1 0 t h	Cook County	1.1%	1.0%	1.6%
	Non-Cook	1.9%	2.1%	2.8%
	Urban	1.9%	2.2%	3.7%
	Rural	1.9%	1.9%	2.0%
1 2 t h	Cook County	1.8%	3.5%	3.3%
	Non-Cook	3.5%	3.2%	3.9%
	Urban	3.8%	4.0%	4.4%
	Rural	3.3%	2.1%	3.4%
Total		1.7%	2.0%	2.4%

Methamphetamine -- Used Past Year			
Region by Grade			
		2004	2006
8 t h	Cook County	1.4%	0.1%
	Non-Cook	1.3%	1.0%
	Urban	0.5%	0.6%
	Rural	1.9%	1.6%
1 0 t h	Cook County	0.7%	0.3%
	Non-Cook	1.8%	0.6%
	Urban	1.4%	1.4%
	Rural	2.1%	0.0%
1 2 t h	Cook County	1.4%	0.5%
	Non-Cook	2.4%	1.5%
	Urban	2.5%	1.4%
	Rural	2.3%	1.6%
Total		1.6%	0.7%

Uppers -- Used Past Year			
Region by Grade			
		2004	2006
8 t h	Cook County	1.2%	0.5%
	Non-Cook	3.2%	3.2%
	Urban	1.8%	3.0%
	Rural	4.2%	3.5%
1 0 t h	Cook County	3.0%	1.7%
	Non-Cook	6.5%	4.8%
	Urban	6.3%	4.9%
	Rural	6.7%	4.7%
1 2 t h	Cook County	3.8%	2.6%
	Non-Cook	6.8%	7.2%
	Urban	8.7%	6.8%
	Rural	4.5%	7.5%
Total		4.4%	3.6%

Downers -- Used Past Year			
Region by Grade			
		2004	2006
8 t h	Cook County	1.5%	0.4%
	Non-Cook	2.3%	1.7%
	Urban	1.2%	1.9%
	Rural	3.1%	1.5%
1 0 t h	Cook County	2.7%	1.9%
	Non-Cook	6.6%	4.9%
	Urban	6.8%	4.1%
	Rural	6.3%	5.6%
1 2 t h	Cook County	3.5%	2.4%
	Non-Cook	6.4%	6.8%
	Urban	7.4%	6.2%
	Rural	5.2%	7.4%
Total		4.1%	3.2%

Pain Pills -- Used Past Year			
Region by Grade			
		2004	2006
8 t h	Cook County	14.0%	14.4%
	Non-Cook	14.0%	14.4%
	Urban	12.8%	14.0%
	Rural	14.9%	14.7%
1 0 t h	Cook County	15.4%	12.7%
	Non-Cook	16.0%	15.8%
	Urban	15.0%	17.2%
	Rural	17.1%	14.5%
1 2 t h	Cook County	14.3%	13.7%
	Non-Cook	14.1%	17.9%
	Urban	15.9%	17.5%
	Rural	11.9%	18.3%
Total		14.5%	15.0%

Steroids -- Used Past Year			
Region by Grade			
		2004	2006
8 t h	Cook County	1.2%	0.7%
	Non-Cook	0.7%	0.4%
	Urban	0.5%	0.6%
	Rural	0.8%	0.2%
1 0 t h	Cook County	0.5%	0.4%
	Non-Cook	0.8%	0.5%
	Urban	0.3%	0.9%
	Rural	1.3%	0.2%
1 2 t h	Cook County	1.4%	0.3%
	Non-Cook	1.1%	1.3%
	Urban	0.9%	0.8%
	Rural	1.3%	1.8%
Total		0.9%	0.6%

Other Prescription Drugs -- Used Past Year			
Region by Grade			
		2004	2006
8 t h	Cook County	12.5%	12.2%
	Non-Cook	14.8%	13.0%
	Urban	11.7%	12.9%
	Rural	17.1%	13.2%
1 0 t h	Cook County	14.4%	11.8%
	Non-Cook	16.2%	15.0%
	Urban	16.0%	14.9%
	Rural	16.4%	15.1%
1 2 t h	Cook County	13.7%	10.8%
	Non-Cook	14.6%	15.4%
	Urban	15.2%	16.0%
	Rural	13.8%	14.8%
Total		14.6%	13.3%

OTC Performance Enhancing Drugs -- Used Past Year			
Region by Grade			
		2004	2006
8 t h	Cook County	3.9%	2.7%
	Non-Cook	5.0%	3.7%
	Urban	3.6%	3.7%
	Rural	5.9%	3.8%
1 0 t h	Cook County	5.1%	4.2%
	Non-Cook	9.3%	8.6%
	Urban	8.9%	7.9%
	Rural	9.6%	9.2%
1 2 t h	Cook County	9.7%	6.6%
	Non-Cook	11.3%	10.3%
	Urban	9.8%	8.3%
	Rural	13.2%	12.5%
Total		7.5%	6.2%

OTC Weight Loss Aids -- Used Past Year			
Region by Grade			
		2004	2006
8 t h	Cook County	1.8%	1.2%
	Non-Cook	2.9%	2.1%
	Urban	2.0%	2.3%
	Rural	3.5%	1.7%
1 0 t h	Cook County	5.3%	2.1%
	Non-Cook	4.5%	3.5%
	Urban	4.6%	4.9%
	Rural	4.4%	2.2%
1 2 t h	Cook County	8.4%	3.4%
	Non-Cook	7.3%	6.4%
	Urban	8.3%	6.0%
	Rural	6.0%	6.9%
Total		4.8%	3.2%

Appendix B-4b

***Past Month Drug Prevalences:
Total Respondents: Region by Grade***

Alcohol -- Used Past Month				
Region by Grade				
		2002	2004	2006
8 t h	Cook County	20.5%	18.5%	31.9%
	Non-Cook	17.8%	19.4%	26.9%
	Urban	19.0%	14.6%	27.2%
	Rural	17.0%	22.9%	26.5%
1 0 t h	Cook County	37.5%	36.6%	40.9%
	Non-Cook	35.2%	41.6%	43.7%
	Urban	40.1%	39.7%	40.7%
	Rural	32.5%	43.7%	46.5%
1 2 t h	Cook County	53.6%	52.7%	52.6%
	Non-Cook	52.3%	53.1%	53.0%
	Urban	54.1%	52.7%	53.7%
	Rural	51.3%	53.6%	52.2%
Total		35.0%	36.3%	40.7%

Cigarettes -- Used Past Month				
Region by Grade				
		2002	2004	2006
8 t h	Cook County	9.2%	7.9%	7.3%
	Non-Cook	9.7%	11.0%	10.7%
	Urban	8.9%	9.1%	9.7%
	Rural	10.2%	12.3%	11.9%
1 0 t h	Cook County	16.4%	12.1%	10.5%
	Non-Cook	19.3%	21.3%	19.6%
	Urban	18.4%	21.3%	15.8%
	Rural	19.8%	21.4%	23.1%
1 2 t h	Cook County	27.5%	23.2%	17.1%
	Non-Cook	32.9%	29.1%	28.5%
	Urban	34.4%	29.6%	24.6%
	Rural	32.0%	28.5%	32.5%
Total		18.9%	17.7%	16.0%

Smokeless Tobacco -- Used Past Month				
Region by Grade				
		2002	2004	2006
8 t h	Cook County	2.3%	2.8%	5.2%
	Non-Cook	2.4%	2.7%	3.7%
	Urban	2.7%	0.7%	2.4%
	Rural	2.2%	4.2%	5.2%
1 0 t h	Cook County	3.1%	3.0%	5.3%
	Non-Cook	3.6%	4.3%	8.0%
	Urban	3.3%	3.7%	6.3%
	Rural	3.7%	5.0%	9.6%
1 2 t h	Cook County	2.8%	6.7%	7.1%
	Non-Cook	8.1%	5.2%	10.0%
	Urban	6.8%	5.4%	8.9%
	Rural	8.9%	4.8%	11.3%
Total		3.9%	4.0%	6.6%

Inhalants -- Used Past Month				
Region by Grade				
		2002	2004	2006
8 t h	Cook County	3.5%	3.4%	7.9%
	Non-Cook	4.7%	6.0%	8.0%
	Urban	4.6%	4.9%	8.2%
	Rural	4.8%	6.7%	7.8%
1 0 t h	Cook County	3.0%	1.7%	3.1%
	Non-Cook	2.7%	3.5%	3.7%
	Urban	2.6%	3.2%	4.2%
	Rural	2.7%	3.9%	3.2%
1 2 t h	Cook County	1.8%	2.3%	2.5%
	Non-Cook	2.3%	2.2%	3.5%
	Urban	2.3%	2.0%	3.5%
	Rural	2.3%	2.5%	3.5%
Total		3.1%	3.4%	5.0%

Marijuana -- Used Past Month				
Region by Grade				
		2002	2004	2006
8 t h	Cook County	7.2%	9.1%	9.6%
	Non-Cook	7.3%	7.4%	8.6%
	Urban	8.3%	6.5%	9.3%
	Rural	6.6%	8.2%	7.7%
1 0 t h	Cook County	18.2%	15.5%	19.2%
	Non-Cook	14.5%	18.6%	18.4%
	Urban	18.2%	20.5%	18.3%
	Rural	12.4%	16.6%	18.5%
1 2 t h	Cook County	25.9%	21.9%	22.1%
	Non-Cook	22.9%	21.7%	23.9%
	Urban	26.2%	24.2%	26.2%
	Rural	21.1%	18.5%	21.5%
Total		15.3%	15.4%	16.6%

Number of Students				
Region by Grade				
		2002	2004	2006
8 t h	Cook County	734	783	846
	Non-Cook	1,120	1,215	1,245
	Urban	447	511	692
	Rural	673	704	553
1 0 t h	Cook County	713	752	805
	Non-Cook	1,082	1,157	1,219
	Urban	398	607	583
	Rural	684	549	636
1 2 t h	Cook County	551	601	646
	Non-Cook	1,021	1,083	1,064
	Urban	357	614	546
	Rural	663	469	519
Total		5,222	5,590	5,825

Appendix B-5a

Past Year Drug Prevalences: Cook County Respondents: Racial Groups By Gender

For “B-1a”, “B-2a”, “B-3a”, “B-4a”, “B-5a”, and “B-6a” – past year drug prevalence appendices:

- Tables for “Alcohol”, “Cigarettes”, “Smokeless Tobacco”, “Inhalants”, “Marijuana”, “Cocaine/Crack”, “Hallucinogens”, and “Ecstasy (MDMA)” have three columns of figures to show changes from 2002 to 2004 to 2006.
- Tables for Methamphetamine, Uppers, Downers, Pain Pills, Steroids, Other Prescription Drugs, OTC Performance Enhancing Drugs, and OTC Weight Loss Aids have only two columns of figures to show changes from 2004 to 2006, as those substances first appeared on the survey in 2004.

Alcohol -- Used Past Year Cook County Race Group by Gender			
	2002	2004	2006
Male			
White	69.1%	60.5%	66.2%
African American	46.7%	46.0%	53.7%
Hispanic	66.1%	63.8%	62.0%
Female			
White	64.6%	62.9%	69.2%
African American	53.0%	53.1%	51.8%
Hispanic	69.0%	74.3%	69.1%
White	66.7%	61.5%	67.6%
African American	50.2%	49.8%	52.5%
Hispanic	67.4%	69.9%	65.6%
Cook Total*	61.2%	59.6%	59.6%

Cigarettes -- Used Past Year Cook County Race Group by Gender			
	2002	2004	2006
Male			
White	29.3%	26.0%	23.4%
African American	11.6%	18.8%	12.0%
Hispanic	25.3%	23.2%	22.3%
Female			
White	31.9%	31.1%	21.4%
African American	15.2%	10.2%	10.2%
Hispanic	28.1%	23.7%	18.1%
White	30.3%	28.2%	22.5%
African American	13.5%	13.8%	10.9%
Hispanic	26.7%	24.0%	20.3%
Cook Total*	24.0%	21.9%	17.0%

Smokeless Tobacco -- Used Past Year Cook County Race Group by Gender			
	2002	2004	2006
Male			
White	12.2%	14.7%	16.9%
African American	4.2%	9.6%	6.9%
Hispanic	9.8%	7.5%	14.4%
Female			
White	2.4%	3.6%	4.2%
African American	3.7%	3.5%	7.1%
Hispanic	6.9%	10.8%	9.6%
White	7.1%	9.3%	10.4%
African American	4.0%	6.0%	6.9%
Hispanic	8.4%	9.3%	11.8%
Cook Total*	6.5%	8.2%	9.0%

Inhalants -- Used Past Year Cook County Race Group by Gender			
	2002	2004	2006
Male			
White	7.5%	6.8%	6.0%
African American	5.6%	7.5%	3.6%
Hispanic	4.8%	3.6%	12.0%
Female			
White	5.5%	9.4%	8.3%
African American	1.7%	2.2%	5.0%
Hispanic	6.9%	8.4%	10.9%
White	6.3%	8.0%	7.1%
African American	3.3%	4.5%	4.4%
Hispanic	5.8%	6.3%	11.8%
Cook Total*	5.4%	6.3%	7.2%

Marijuana -- Used Past Year Cook County Race Group by Gender			
	2002	2004	2006
Male			
White	30.1%	24.9%	30.7%
African American	26.6%	29.2%	31.6%
Hispanic	32.1%	32.0%	23.7%
Female			
White	24.2%	23.3%	25.2%
African American	30.0%	21.1%	25.2%
Hispanic	28.8%	22.0%	19.9%
White	26.8%	23.9%	27.8%
African American	28.5%	24.4%	28.0%
Hispanic	30.7%	26.9%	21.7%
Cook Total*	27.5%	24.7%	25.4%

Cocaine/Crack -- Used Past Year Cook County Race Group by Gender			
	2002	2004	2006
Male			
White	3.1%	4.2%	3.4%
African American	4.2%	1.5%	0.8%
Hispanic	7.3%	3.5%	4.8%
Female			
White	2.2%	3.5%	2.4%
African American	0.2%	0.4%	0.2%
Hispanic	6.7%	3.2%	3.9%
White	2.6%	3.8%	2.9%
African American	1.7%	0.9%	0.5%
Hispanic	6.9%	3.3%	4.3%
Cook Total*	3.4%	2.6%	2.1%

*Total represents Cook County total, including other racial/ethnic groups not listed.

Hallucinogens -- Used Past Year Cook County Race Group by Gender			
	2002	2004	2006
Male			
White	4.6%	4.3%	3.0%
African American	2.8%	1.1%	1.3%
Hispanic	1.2%	2.4%	1.3%
Female			
White	1.5%	1.3%	2.1%
African American	0.0%	0.3%	0.1%
Hispanic	2.7%	1.0%	0.0%
White	3.0%	2.8%	2.5%
African American	1.1%	0.6%	0.6%
Hispanic	2.0%	1.6%	0.6%
Cook Total*	2.2%	1.8%	1.2%

Ecstasy (MDMA) -- Used Past Year Cook County Race Group by Gender			
	2002	2004	2006
Male			
White	2.0%	3.1%	3.4%
African American	1.2%	2.7%	2.9%
Hispanic	0.7%	0.3%	1.8%
Female			
White	1.2%	1.8%	2.1%
African American	0.0%	1.4%	1.0%
Hispanic	1.1%	1.8%	1.1%
White	1.6%	2.5%	2.7%
African American	0.5%	1.9%	1.8%
Hispanic	0.9%	1.1%	1.4%
Cook Total*	1.1%	1.9%	1.8%

Methamphetamine -- Used Past Year Cook County Race Group by Gender		
	2004	2006
Male		
White	1.6%	0.0%
African American	2.5%	0.0%
Hispanic	1.0%	0.2%
Female		
White	0.7%	1.0%
African American	0.4%	0.2%
Hispanic	0.0%	0.3%
White	1.2%	0.5%
African American	1.3%	0.1%
Hispanic	0.4%	0.3%
Cook Total*	1.1%	0.3%

Uppers -- Used Past Year Cook County Race Group by Gender		
	2004	2006
Male		
White	4.4%	3.8%
African American	1.3%	1.0%
Hispanic	0.7%	1.6%
Female		
White	7.1%	2.8%
African American	0.4%	0.0%
Hispanic	0.3%	0.3%
White	5.6%	3.2%
African American	0.8%	0.4%
Hispanic	0.4%	0.9%
Cook Total*	2.6%	1.5%

Downers -- Used Past Year Cook County Race Group by Gender		
	2004	2006
Male		
White	3.5%	3.3%
African American	1.9%	0.3%
Hispanic	0.3%	1.4%
Female		
White	4.8%	2.5%
African American	1.1%	0.4%
Hispanic	2.6%	1.0%
White	4.1%	2.9%
African American	1.4%	0.3%
Hispanic	1.6%	1.1%
Cook Total*	2.5%	1.5%

*Total represents Cook County total, including other racial/ethnic groups not listed.

Pain Pills -- Used Past Year Cook County Race Group by Gender		
	2004	2006
Male		
White	9.6%	10.6%
African American	15.6%	12.0%
Hispanic	8.8%	11.1%
Female		
White	11.9%	10.8%
African American	20.0%	18.7%
Hispanic	17.4%	17.7%
White	10.8%	10.6%
African American	18.1%	15.7%
Hispanic	14.3%	14.6%
Cook Total*	14.3%	13.5%

Steroids -- Used Past Year Cook County Race Group by Gender		
	2004	2006
Male		
White	1.1%	1.4%
African American	1.7%	0.6%
Hispanic	1.3%	0.5%
Female		
White	0.3%	0.0%
African American	0.2%	0.5%
Hispanic	1.6%	0.0%
White	0.8%	0.7%
African American	0.9%	0.5%
Hispanic	1.5%	0.4%
Cook Total*	1.0%	0.5%

Other Prescription Drugs -- Used Past Year Cook County Race Group by Gender		
	2004	2006
Male		
White	10.8%	10.5%
African American	11.4%	10.2%
Hispanic	7.2%	11.3%
Female		
White	13.0%	11.3%
African American	19.4%	11.6%
Hispanic	14.9%	15.1%
White	12.1%	10.8%
African American	16.0%	10.9%
Hispanic	11.5%	13.4%
Cook Total*	13.5%	11.7%

OTC Performance Enhancing Drugs -- Used Past Year Cook County Race Group by Gender		
	2004	2006
Male		
White	9.3%	11.6%
African American	7.7%	3.7%
Hispanic	8.6%	6.5%
Female		
White	3.3%	2.7%
African American	1.2%	1.5%
Hispanic	8.1%	2.1%
White	6.3%	7.0%
African American	3.9%	2.4%
Hispanic	8.3%	4.1%
Cook Total*	6.0%	4.3%

OTC Weight Loss Aids -- Used Past Year Cook County Race Group by Gender		
	2004	2006
Male		
White	3.5%	1.4%
African American	3.9%	0.9%
Hispanic	3.9%	0.6%
Female		
White	6.4%	4.8%
African American	2.6%	1.5%
Hispanic	9.8%	1.6%
White	5.0%	3.1%
African American	3.1%	1.2%
Hispanic	7.2%	1.1%
Cook Total*	4.9%	2.1%

*Total represents Cook County total, including other racial/ethnic groups not listed.

Appendix B-5b

***Past Month Drug Prevalences:
Cook County Respondents:
Racial Groups By Gender***

Alcohol -- Used Past Month Cook County Race Group by Gender			
	2002	2004	2006
Male			
White	41.2%	39.9%	48.4%
African American	26.5%	24.2%	34.1%
Hispanic	39.9%	43.6%	45.2%
Female			
White	38.3%	39.4%	52.4%
African American	30.6%	25.9%	32.4%
Hispanic	39.8%	37.0%	49.4%
White	39.4%	39.5%	50.5%
African American	29.2%	25.1%	33.0%
Hispanic	39.8%	40.3%	47.2%
Cook Total*	35.7%	34.5%	40.9%

Cigarettes -- Used Past Month Cook County Race Group by Gender			
	2002	2004	2006
Male			
White	21.5%	19.3%	18.5%
African American	9.4%	12.1%	7.8%
Hispanic	15.8%	4.7%	14.0%
Female			
White	23.1%	22.6%	14.2%
African American	10.7%	6.9%	5.7%
Hispanic	19.6%	14.1%	11.8%
White	22.0%	20.7%	16.4%
African American	10.0%	9.0%	6.5%
Hispanic	17.9%	10.0%	12.8%
Cook Total*	16.8%	13.6%	11.2%

Smokeless Tobacco -- Used Past Month Cook County Race Group by Gender			
	2002	2004	2006
Male			
White	3.5%	6.6%	9.1%
African American	1.4%	5.3%	5.4%
Hispanic	5.0%	4.6%	8.7%
Female			
White	1.2%	1.2%	3.1%
African American	1.6%	2.7%	4.0%
Hispanic	4.5%	3.8%	6.5%
White	2.3%	3.9%	6.0%
African American	1.5%	3.8%	4.6%
Hispanic	4.8%	4.1%	7.5%
Cook Total*	2.7%	3.9%	5.8%

Inhalants -- Used Past Month Cook County Race Group by Gender			
	2002	2004	2006
Male			
White	3.6%	2.4%	2.5%
African American	4.2%	2.6%	3.1%
Hispanic	3.3%	2.6%	5.8%
Female			
White	1.7%	3.9%	4.3%
African American	1.5%	0.7%	3.8%
Hispanic	3.4%	2.6%	8.4%
White	2.6%	3.1%	3.4%
African American	2.5%	1.5%	3.5%
Hispanic	3.3%	2.6%	7.5%
Cook Total*	2.9%	2.5%	4.7%

Marijuana -- Used Past Month Cook County Race Group by Gender			
	2002	2004	2006
Male			
White	20.7%	14.3%	19.6%
African American	19.3%	20.1%	23.7%
Hispanic	16.3%	17.7%	16.6%
Female			
White	14.4%	15.1%	12.6%
African American	15.3%	13.9%	16.4%
Hispanic	18.5%	9.8%	12.7%
White	17.3%	14.6%	16.1%
African American	16.7%	16.4%	19.6%
Hispanic	17.2%	13.8%	14.6%
Cook Total*	16.3%	14.9%	16.5%

Number of Students Cook County Race Group by Gender			
	2002	2004	2006
Male			
White	406	388	351
African American	206	297	356
Hispanic	218	248	234
Female			
White	408	362	363
African American	321	403	467
Hispanic	236	317	258
White	832	756	720
African American	538	707	830
Hispanic	464	569	501
Cook Total*	1,999	2,135	2,298

*Total represents Cook County total, including other racial/ethnic groups not listed.

Appendix B-6a

Past Year Drug Prevalences: Cook County Respondents: Racial Groups By Grade

For “B-1a”, “B-2a”, “B-3a”, “B-4a”, “B-5a”, and “B-6a” – past year drug prevalence appendices:

- Tables for “Alcohol”, “Cigarettes”, “Smokeless Tobacco”, “Inhalants”, “Marijuana”, “Cocaine/Crack”, “Hallucinogens”, and “Ecstasy (MDMA)” have three columns of figures to show changes from 2002 to 2004 to 2006.
- Tables for Methamphetamine, Uppers, Downers, Pain Pills, Steroids, Other Prescription Drugs, OTC Performance Enhancing Drugs, and OTC Weight Loss Aids have only two columns of figures to show changes from 2004 to 2006, as those substances first appeared on the survey in 2004.

Alcohol -- Used Past Year Cook County Race Groups by Grade				
Gr	Racial Group	2002	2004	2006
8 t h	White	50.7%	40.2%	51.6%
	African Amer	37.6%	35.4%	47.2%
	Hispanic	49.5%	57.9%	60.5%
1 0 t h	White	70.4%	66.7%	74.8%
	African Amer	55.3%	53.5%	51.6%
	Hispanic	76.0%	65.2%	69.0%
1 2 t h	White	84.0%	80.1%	78.7%
	African Amer	61.8%	65.3%	59.4%
	Hispanic	73.5%	92.5%	71.3%
Cook Total*		61.2%	59.6%	59.6%

Cigarettes -- Used Past Year Cook County Race Groups by Grade				
Gr	Racial Group	2002	2004	2006
8 t h	White	17.7%	10.0%	15.6%
	African Amer	12.9%	11.4%	9.3%
	Hispanic	21.7%	20.7%	16.4%
1 0 t h	White	31.2%	33.3%	20.1%
	African Amer	12.5%	13.3%	9.7%
	Hispanic	27.3%	20.0%	21.2%
1 2 t h	White	46.2%	43.4%	32.9%
	African Amer	15.9%	18.0%	14.3%
	Hispanic	30.7%	34.2%	26.7%
Cook Total*		24.0%	21.9%	17.0%

Smokeless Tobacco -- Used Past Year Cook County Race Groups by Grade				
Gr	Racial Group	2002	2004	2006
8 t h	White	2.4%	3.9%	7.1%
	African Amer	2.3%	7.1%	8.0%
	Hispanic	9.5%	8.7%	9.7%
1 0 t h	White	7.6%	7.9%	8.8%
	African Amer	6.1%	3.9%	5.6%
	Hispanic	10.3%	10.1%	13.4%
1 2 t h	White	12.9%	17.1%	15.6%
	African Amer	3.4%	7.2%	7.5%
	Hispanic	4.8%	9.2%	13.5%
Cook Total*		6.5%	8.2%	9.0%

Inhalants -- Used Past Year Cook County Race Groups by Grade				
Gr	Racial Group	2002	2004	2006
8 t h	White	6.4%	7.6%	10.4%
	African Amer	5.0%	7.9%	6.8%
	Hispanic	8.9%	9.8%	16.4%
1 0 t h	White	6.9%	9.9%	4.6%
	African Amer	2.9%	1.2%	3.3%
	Hispanic	5.6%	2.1%	9.7%
1 2 t h	White	5.6%	6.4%	5.9%
	African Amer	1.4%	4.2%	3.2%
	Hispanic	2.9%	6.7%	5.6%
Cook Total*		5.4%	6.3%	7.2%

Marijuana -- Used Past Year Cook County Race Groups by Grade				
Gr	Racial Group	2002	2004	2006
8 t h	White	8.6%	6.8%	14.4%
	African Amer	16.9%	18.6%	19.1%
	Hispanic	17.0%	21.9%	15.2%
1 0 t h	White	32.7%	29.7%	34.0%
	African Amer	31.8%	23.7%	28.5%
	Hispanic	37.1%	25.2%	26.7%
1 2 t h	White	44.5%	37.1%	36.9%
	African Amer	40.9%	33.7%	36.7%
	Hispanic	35.4%	35.8%	27.6%
Cook Total*		27.5%	24.7%	25.4%

Cocaine/Crack -- Used Past Year Cook County Race Groups by Grade				
Gr	Racial Group	2002	2004	2006
8 t h	White	0.9%	1.7%	1.4%
	African Amer	1.2%	1.9%	0.0%
	Hispanic	2.6%	4.4%	4.4%
1 0 t h	White	3.2%	3.6%	2.3%
	African Amer	2.9%	0.0%	1.0%
	Hispanic	9.1%	2.2%	3.0%
1 2 t h	White	4.0%	6.5%	5.0%
	African Amer	0.7%	0.5%	0.2%
	Hispanic	8.0%	3.4%	5.9%
Cook Total*		3.4%	2.6%	2.1%

*Total represents Cook County total, including other racial/ethnic groups not listed.

Hallucinogens -- Used Past Year Cook County Race Groups by Grade				
Gr	Racial Group	2002	2004	2006
8 t h	White	0.9%	0.6%	0.5%
	African Amer	0.9%	1.2%	0.0%
	Hispanic	2.6%	1.9%	0.6%
1 0 t h	White	2.7%	1.2%	2.4%
	African Amer	1.5%	0.0%	1.2%
	Hispanic	0.6%	0.0%	0.0%
1 2 t h	White	6.3%	7.3%	4.9%
	African Amer	0.7%	0.5%	0.5%
	Hispanic	3.1%	3.4%	1.4%
Cook Total*		2.2%	1.8%	1.2%

Ecstasy (MDMA) -- Used Past Year Cook County Race Groups by Grade				
Gr	Racial Group	2002	2004	2006
8 t h	White	0.0%	1.2%	1.0%
	African Amer	0.0%	2.6%	0.6%
	Hispanic	2.6%	1.5%	1.6%
1 0 t h	White	1.8%	1.2%	2.4%
	African Amer	0.7%	1.4%	1.5%
	Hispanic	0.0%	0.0%	1.5%
1 2 t h	White	3.4%	5.3%	4.9%
	African Amer	0.7%	1.6%	3.4%
	Hispanic	0.5%	2.1%	1.0%
Cook Total*		1.1%	1.9%	1.8%

Methamphetamine -- Used Past Year Cook County Race Groups by Grade			
Gr	Racial Group	2004	2006
8 t h	White	0.6%	0.0%
	African Amer	2.4%	0.0%
	Hispanic	1.1%	0.4%
1 0 t h	White	0.8%	0.5%
	African Amer	0.7%	0.3%
	Hispanic	0.0%	0.0%
1 2 t h	White	2.4%	1.1%
	African Amer	0.6%	0.0%
	Hispanic	0.0%	0.4%
Cook Total*		1.1%	0.3%

Uppers -- Used Past Year Cook County Race Groups by Grade			
Gr	Racial Group	2004	2006
8 t h	White	0.8%	0.5%
	African Amer	1.7%	0.0%
	Hispanic	1.2%	0.7%
1 0 t h	White	7.4%	4.1%
	African Amer	0.3%	0.4%
	Hispanic	0.0%	1.6%
1 2 t h	White	9.2%	5.5%
	African Amer	0.0%	0.9%
	Hispanic	0.0%	0.3%
Cook Total*		2.6%	1.5%

Downers -- Used Past Year Cook County Race Groups by Grade			
Gr	Racial Group	2004	2006
8 t h	White	1.1%	0.5%
	African Amer	1.5%	0.0%
	Hispanic	2.4%	0.9%
1 0 t h	White	4.5%	4.0%
	African Amer	0.7%	0.7%
	Hispanic	2.0%	1.3%
1 2 t h	White	7.0%	4.4%
	African Amer	2.4%	0.2%
	Hispanic	0.0%	1.4%
Cook Total*		2.5%	1.5%

*Total represents Cook County total, including other racial/ethnic groups not listed.

Pain Pills -- Used Past Year Cook County Race Groups by Grade			
Gr	Racial Group	2004	2006
8 t h	White	6.1%	8.6%
	African Amer	19.0%	19.0%
	Hispanic	15.1%	14.7%
1 0 t h	White	13.2%	12.0%
	African Amer	19.0%	12.0%
	Hispanic	13.2%	16.8%
1 2 t h	White	13.6%	11.5%
	African Amer	15.9%	17.3%
	Hispanic	14.6%	11.4%
Cook Total*		14.3%	13.5%

Steroids -- Used Past Year Cook County Race Groups by Grade			
Gr	Racial Group	2004	2006
8 t h	White	1.2%	1.4%
	African Amer	1.2%	0.3%
	Hispanic	1.5%	0.8%
1 0 t h	White	1.2%	0.0%
	African Amer	0.3%	1.1%
	Hispanic	0.0%	0.0%
1 2 t h	White	0.0%	0.5%
	African Amer	1.3%	0.0%
	Hispanic	3.4%	0.3%
Cook Total*		1.0%	0.5%

Other Prescriptions Drugs -- Used Past Year Cook County Race Groups by Grade			
Gr	Racial Group	2004	2006
8 t h	White	9.5%	12.9%
	African Amer	15.8%	8.6%
	Hispanic	11.0%	13.2%
1 0 t h	White	12.8%	12.2%
	African Amer	16.9%	11.2%
	Hispanic	11.0%	14.0%
1 2 t h	White	14.2%	7.1%
	African Amer	15.1%	13.1%
	Hispanic	12.6%	12.8%
Cook Total*		13.5%	11.7%

OTC Performance Enhancing Drugs -- Used Past Year Cook County Race Groups by Grade			
Gr	Racial Group	2004	2006
8 t h	White	2.8%	2.8%
	African Amer	3.9%	1.6%
	Hispanic	5.8%	3.5%
1 0 t h	White	6.2%	8.4%
	African Amer	2.9%	1.6%
	Hispanic	6.0%	3.4%
1 2 t h	White	10.6%	10.1%
	African Amer	5.1%	4.4%
	Hispanic	14.6%	6.2%
Cook Total*		6.0%	4.3%

OTC Weight Loss Aids -- Used Past Year Cook County Race Groups by Grade			
Gr	Racial Group	2004	2006
8 t h	White	2.0%	0.9%
	African Amer	2.5%	1.7%
	Hispanic	0.8%	0.7%
1 0 t h	White	6.8%	2.9%
	African Amer	1.0%	0.7%
	Hispanic	8.1%	1.3%
1 2 t h	White	6.4%	5.8%
	African Amer	6.8%	1.4%
	Hispanic	14.7%	1.6%
Cook Total*		4.9%	2.1%

*Total represents Cook County total, including other racial/ethnic groups not listed.

Appendix B-6b

***Past Month Drug Prevalences:
Cook County Respondents:
Racial Groups By Grade***

Alcohol -- Used Past Month Cook County Race Groups by Grade				
Gr	Racial Group	2002	2004	2006
8 t h	White	23.2%	15.0%	36.0%
	African Amer	14.0%	17.3%	25.4%
	Hispanic	24.6%	23.9%	41.2%
1 0 t h	White	39.2%	46.4%	51.5%
	African Amer	33.2%	24.9%	31.4%
	Hispanic	43.8%	39.8%	50.5%
1 2 t h	White	61.5%	59.8%	66.0%
	African Amer	46.2%	36.6%	43.3%
	Hispanic	49.3%	63.4%	54.6%
Cook Total*		35.7%	34.5%	40.9%

Cigarettes -- Used Past Month Cook County Race Groups by Grade				
Gr	Racial Group	2002	2004	2006
8 t h	White	9.7%	7.8%	8.5%
	African Amer	7.1%	7.1%	4.5%
	Hispanic	14.0%	8.9%	10.9%
1 0 t h	White	22.5%	22.8%	15.7%
	African Amer	9.7%	6.3%	5.2%
	Hispanic	18.4%	5.9%	14.0%
1 2 t h	White	38.2%	33.4%	25.9%
	African Amer	14.8%	15.3%	10.6%
	Hispanic	21.1%	17.0%	14.9%
Cook Total*		16.8%	13.6%	11.2%

Smokeless Tobacco -- Used Past Month Cook County Race Groups by Grade				
Gr	Racial Group	2002	2004	2006
8 t h	White	1.7%	1.8%	3.3%
	African Amer	0.6%	3.8%	5.2%
	Hispanic	5.7%	2.3%	6.4%
1 0 t h	White	2.7%	2.9%	5.2%
	African Amer	2.5%	2.0%	4.1%
	Hispanic	5.2%	3.9%	8.6%
1 2 t h	White	2.5%	7.5%	9.8%
	African Amer	1.4%	6.0%	4.5%
	Hispanic	3.4%	7.0%	8.2%
Cook Total*		2.7%	3.9%	5.8%

Inhalants -- Used Past Month Cook County Race Groups by Grade				
Gr	Racial Group	2002	2004	2006
8 t h	White	2.8%	2.6%	6.6%
	African Amer	3.6%	3.3%	5.0%
	Hispanic	4.9%	4.5%	11.2%
1 0 t h	White	3.3%	3.7%	1.1%
	African Amer	2.1%	0.3%	2.9%
	Hispanic	3.1%	0.0%	6.1%
1 2 t h	White	1.6%	3.0%	2.2%
	African Amer	1.4%	0.5%	2.5%
	Hispanic	2.0%	3.4%	2.3%
Cook Total*		2.9%	2.5%	4.7%

Marijuana -- Used Past Month Cook County Race Groups by Grade				
Gr	Racial Group	2002	2004	2006
8 t h	White	5.1%	3.4%	8.5%
	African Amer	9.6%	13.2%	12.5%
	Hispanic	8.9%	11.8%	10.9%
1 0 t h	White	20.6%	16.6%	17.5%
	African Amer	16.9%	16.4%	21.6%
	Hispanic	20.0%	12.8%	17.9%
1 2 t h	White	30.1%	25.1%	23.2%
	African Amer	27.2%	20.9%	24.7%
	Hispanic	21.5%	18.0%	17.1%
Cook Total*		16.3%	14.9%	16.5%

Number of Students Cook County Race Groups by Grade				
Gr	Racial Group	2002	2004	2006
8 t h	White	325	266	259
	African Amer	204	267	261
	Hispanic	137	213	227
1 0 t h	White	267	261	232
	African Amer	201	252	330
	Hispanic	188	202	162
1 2 t h	White	240	229	229
	African Amer	133	188	239
	Hispanic	138	154	112
Cook Total*		1,999	2,135	2,298

*Total represents Cook County total, including other racial/ethnic groups not listed.

Appendix B-7a

***6th Grade Past Year Drug Prevalences:
All Respondents by Gender, Region
Cook County Respondents by Racial Groups
All Respondents: Region by Gender***

Alcohol -- Used Past Year		
	2004	2006
Gender - All Respondents		
Male	22.0%	28.8%
Female	19.4%	19.6%
Region - All Respondents		
Cook	23.7%	27.9%
CPS	26.3%	30.1%
Non-CPS	21.2%	25.9%
Non-Cook	18.7%	21.3%
Urban	21.6%	22.5%
Rural	16.8%	19.5%
Cook County Race Group - Cook County Respondents		
White	21.2%	24.2%
African American	19.8%	28.1%
Hispanic	32.7%	32.2%
Total - All Respondents	20.7%	24.0%

Alcohol -- Used Past Year Region by Gender		
	2004	2006
Male		
Cook	25.0%	31.0%
CPS	28.5%	36.3%
Non-CPS	22.3%	26.7%
Non-Cook	20.1%	27.1%
Urban	24.4%	25.9%
Rural	17.1%	29.0%
Female		
Cook	22.1%	24.5%
CPS	24.4%	24.2%
Non-CPS	19.7%	24.8%
Non-Cook	17.4%	16.2%
Urban	18.7%	19.4%
Rural	16.5%	11.7%
Total	20.7%	24.0%

Cigarettes -- Used Past Year		
	2004	2006
Gender - All Respondents		
Male	4.5%	4.6%
Female	5.6%	4.1%
Region - All Respondents		
Cook	4.6%	4.7%
CPS	5.8%	4.8%
Non-CPS	3.6%	4.7%
Non-Cook	5.5%	4.2%
Urban	4.7%	3.4%
Rural	6.1%	5.4%
Cook County Race Group - Cook County Respondents		
White	2.3%	4.1%
African American	4.7%	3.7%
Hispanic	7.6%	4.9%
Total - All Respondents	5.2%	4.4%

Cigarettes -- Used Past Year Region by Gender		
	2004	2006
Male		
Cook	4.2%	5.8%
CPS	5.2%	6.4%
Non-CPS	3.3%	5.3%
Non-Cook	4.7%	3.7%
Urban	3.3%	2.6%
Rural	5.8%	5.3%
Female		
Cook	4.5%	3.4%
CPS	5.8%	3.2%
Non-CPS	3.0%	3.6%
Non-Cook	6.4%	4.5%
Urban	5.7%	4.1%
Rural	6.9%	5.0%
Total	5.2%	4.4%

Smokeless Tobacco -- Used Past Year		
	2004	2006
Gender - All Respondents		
Male	3.6%	5.6%
Female	1.6%	3.1%
Region - All Respondents		
Cook	2.7%	4.1%
CPS	3.5%	5.3%
Non-CPS	1.9%	2.9%
Non-Cook	2.8%	4.5%
Urban	3.0%	3.7%
Rural	2.6%	5.6%
Cook County Race Group - Cook County Respondents		
White	1.8%	2.8%
African American	2.6%	5.3%
Hispanic	3.8%	3.3%
Total - All Respondents	2.7%	4.3%

Smokeless Tobacco -- Used Past Year Region by Gender		
	2004	2006
Male		
Cook	3.8%	5.2%
CPS	4.3%	7.4%
Non-CPS	3.3%	3.5%
Non-Cook	3.5%	5.8%
Urban	3.3%	3.9%
Rural	3.7%	8.5%
Female		
Cook	1.2%	2.9%
CPS	1.8%	3.4%
Non-CPS	0.6%	2.5%
Non-Cook	1.8%	3.2%
Urban	2.1%	3.5%
Rural	1.7%	2.9%
Total	2.7%	4.3%

Inhalants -- Used Past Year		
	2004	2006
Gender - All Respondents		
Male	6.7%	9.0%
Female	6.2%	8.0%
Region - All Respondents		
Cook	5.1%	7.3%
CPS	3.9%	5.1%
Non-CPS	6.2%	9.2%
Non-Cook	7.5%	9.0%
Urban	9.2%	9.8%
Rural	6.4%	7.8%
Cook County Race Group - Cook County Respondents		
White	5.3%	7.2%
African American	4.0%	6.4%
Hispanic	5.6%	7.6%
Total - All Respondents	6.5%	8.3%

Inhalants -- Used Past Year Region by Gender		
	2004	2006
Male		
Cook	4.4%	8.2%
CPS	3.1%	7.0%
Non-CPS	5.5%	9.2%
Non-Cook	8.2%	9.6%
Urban	11.4%	10.3%
Rural	6.0%	8.5%
Female		
Cook	5.8%	6.8%
CPS	4.4%	3.7%
Non-CPS	7.2%	9.5%
Non-Cook	6.6%	8.8%
Urban	6.7%	9.8%
Rural	6.4%	7.5%
Total	6.5%	8.3%

Marijuana -- Used Past Year		
	2004	2006
Gender - All Respondents		
Male	2.7%	2.5%
Female	2.3%	1.3%
Region - All Respondents		
Cook	2.9%	1.7%
CPS	4.1%	2.3%
Non-CPS	1.7%	1.2%
Non-Cook	2.3%	2.2%
Urban	1.9%	2.5%
Rural	2.6%	1.8%
Cook County Race Group - Cook County Respondents		
White	0.8%	0.6%
African American	4.2%	2.0%
Hispanic	4.2%	2.2%
Total - All Respondents	2.5%	2.0%

Marijuana -- Used Past Year Region by Gender		
	2004	2006
Male		
Cook	3.3%	2.5%
CPS	5.0%	3.2%
Non-CPS	2.0%	1.8%
Non-Cook	2.3%	2.6%
Urban	2.2%	2.7%
Rural	2.3%	2.4%
Female		
Cook	2.0%	0.8%
CPS	2.5%	0.8%
Non-CPS	1.5%	0.7%
Non-Cook	2.5%	1.7%
Urban	1.7%	2.2%
Rural	3.1%	0.9%
Total	2.5%	2.0%

Appendix B-7b

***6th Grade Past Month Drug Prevalences:
All Respondents by Gender, Region
Cook County Respondents by Racial Groups
All Respondents: Region by Gender***

Alcohol -- Used Past Month		
	2004	2006
Gender - All Respondents		
Male	8.4%	15.2%
Female	7.9%	10.9%
Region - All Respondents		
Cook	9.9%	16.8%
CPS	13.2%	19.8%
Non-CPS	6.9%	14.2%
Non-Cook	6.9%	10.3%
Urban	8.4%	12.2%
Rural	5.9%	7.6%
Cook County Race Group - Cook County Respondents		
White	8.7%	13.9%
African American	8.0%	17.7%
Hispanic	14.6%	18.6%
Total - All Respondents	8.1%	13.0%

Alcohol -- Used Past Month Region by Gender		
	2004	2006
Male		
Cook	11.2%	19.0%
CPS	15.5%	24.8%
Non-CPS	8.0%	14.1%
Non-Cook	6.6%	12.5%
Urban	8.9%	13.9%
Rural	4.9%	10.4%
Female		
Cook	8.7%	14.4%
CPS	11.1%	15.3%
Non-CPS	6.2%	13.6%
Non-Cook	3.3%	2.7%
Urban	7.7%	10.9%
Rural	7.0%	5.1%
Total	8.1%	13.0%

Cigarettes -- Used Past Month		
	2004	2006
Gender - All Respondents		
Male	2.3%	2.0%
Female	2.9%	2.4%
Region - All Respondents		
Cook	2.5%	2.5%
CPS	3.4%	2.8%
Non-CPS	1.6%	2.3%
Non-Cook	2.8%	1.9%
Urban	2.8%	1.4%
Rural	2.7%	2.6%
Cook County Race Group - Cook County Respondents		
White	2.2%	1.6%
African American	2.6%	1.6%
Hispanic	2.9%	3.1%
Total - All Respondents	2.7%	2.1%

Cigarettes -- Used Past Month Region by Gender		
	2004	2006
Male		
Cook	2.3%	3.1%
CPS	2.9%	3.4%
Non-CPS	1.9%	2.9%
Non-Cook	2.2%	1.1%
Urban	2.1%	0.6%
Rural	2.3%	1.9%
Female		
Cook	2.4%	2.0%
CPS	3.3%	2.3%
Non-CPS	1.5%	1.7%
Non-Cook	3.3%	2.7%
Urban	3.3%	2.1%
Rural	3.3%	3.3%
Total	2.7%	2.1%

Smokeless Tobacco -- Used Past Month		
	2004	2006
Gender - All Respondents		
Male	1.3%	3.6%
Female	1.2%	1.9%
Region - All Respondents		
Cook	1.9%	3.3%
CPS	2.5%	4.3%
Non-CPS	1.4%	2.4%
Non-Cook	1.0%	2.4%
Urban	0.8%	1.2%
Rural	1.1%	4.1%
Cook County Race Group - Cook County Respondents		
White	0.8%	2.2%
African American	2.6%	3.7%
Hispanic	2.5%	3.3%
Total - All Respondents	1.4%	2.7%

Smokeless Tobacco -- Used Past Month Region by Gender		
	2004	2006
Male		
Cook	2.2%	3.7%
CPS	3.2%	5.4%
Non-CPS	1.4%	2.3%
Non-Cook	0.7%	3.5%
Urban	0.0%	1.6%
Rural	1.1%	6.1%
Female		
Cook	1.4%	2.5%
CPS	1.2%	2.6%
Non-CPS	1.5%	2.5%
Non-Cook	1.2%	1.4%
Urban	1.2%	0.9%
Rural	1.1%	2.0%
Total	1.4%	2.7%

Inhalants -- Used Past Month		
	2004	2006
Gender - All Respondents		
Male	3.7%	5.6%
Female	4.1%	5.7%
Region - All Respondents		
Cook	3.5%	5.3%
CPS	2.9%	3.8%
Non-CPS	4.1%	6.5%
Non-Cook	4.4%	5.7%
Urban	6.2%	7.0%
Rural	3.1%	3.9%
Cook County Race Group - Cook County Respondents		
White	3.7%	5.3%
African American	1.9%	3.6%
Hispanic	4.5%	5.8%
Total - All Respondents	4.0%	5.5%

Inhalants -- Used Past Month Region by Gender		
	2004	2006
Male		
Cook	2.4%	5.4%
CPS	3.0%	5.4%
Non-CPS	1.9%	5.5%
Non-Cook	4.6%	5.7%
Urban	7.5%	7.0%
Rural	2.5%	3.8%
Female		
Cook	4.6%	5.3%
CPS	2.6%	2.6%
Non-CPS	6.7%	7.7%
Non-Cook	3.8%	5.9%
Urban	5.0%	7.2%
Rural	3.0%	4.2%
Total	4.0%	5.5%

Marijuana -- Used Past Month		
	2004	2006
Gender - All Respondents		
Male	1.8%	1.2%
Female	0.9%	1.0%
Region - All Respondents		
Cook	1.8%	1.3%
CPS	2.1%	1.7%
Non-CPS	1.4%	0.9%
Non-Cook	1.0%	1.1%
Urban	0.9%	1.3%
Rural	1.1%	0.9%
Cook County Race Group - Cook County Respondents		
White	0.4%	0.6%
African American	2.5%	1.5%
Hispanic	2.7%	1.3%
Total - All Respondents	1.3%	1.2%

Marijuana -- Used Past Month Region by Gender		
	2004	2006
Male		
Cook	2.6%	1.5%
CPS	3.5%	1.9%
Non-CPS	2.0%	1.2%
Non-Cook	1.3%	1.0%
Urban	1.4%	1.0%
Rural	1.2%	1.0%
Female		
Cook	0.9%	0.8%
CPS	0.8%	0.8%
Non-CPS	1.0%	0.7%
Non-Cook	0.8%	1.1%
Urban	0.4%	1.3%
Rural	1.1%	0.9%
Total	1.3%	1.2%

Number of Students		
	2004	2006
Gender* - All Respondents		
Male	968	991
Female	1,002	1,068
Region - All Respondents		
Cook	846	874
CPS	407	407
Non-CPS	439	467
Non-Cook	1,198	1,242
Urban	484	730
Rural	714	511
Cook County Race Group - Cook County Respondents		
White	269	215
African American	300	289
Hispanic	237	255
Total - All Respondents	2,044	2,116

Number of Students Region by Gender*		
	2004	2006
Male		
Cook	394	416
CPS	173	187
Non-CPS	221	228
Non-Cook	573	575
Urban	235	342
Rural	338	233
Female		
Cook	420	439
CPS	218	208
Non-CPS	202	231
Non-Cook	581	628
Urban	231	361
Rural	350	267
Total	1,970	2,059

*Gender is missing for 74 in 2004 and 55 in 2006.

*Gender is missing for 74 in 2004 and 55 in 2006.

Appendix C
Post-stratification and Weighting

Appendix C

Post-stratification and Weighting

In 2006, all public and private schools were invited to participate in the survey. The sample was drawn from the large number of participating schools rather than specifically recruited a priori as in 1998 and before. The sampling design for the 2006 study mirrored that used in the earlier studies. The school sample included schools selected based on past participation and replacement schools based on student population and region.

The final sample was weighted by grade within region and school type in order to ensure that the sample of students for this study represented, as closely as possible, the statewide student population. Weights were based on enrollment in one of the following locations: Chicago Public Schools, Cook County (except CPS), or non-Cook County schools.

As in the earlier studies, responses were also weighted to account for rates of absenteeism within and across the location/grade strata, giving greater weight to students who missed more days of school. Weighting by absenteeism is especially important due to the correlation between substance abuse and missing days of school.

It was also necessary to weight by race within Chicago Public Schools to more closely represent the actual student population of these schools. Weights were computed for race within each grade. For the remaining schools in the sample, the distribution of race was as expected, so no adjustment was needed or made.

Rounding due to weighting and missing values accounts for minor discrepancies within and across tables. First, total percentages may not always total exactly 100%. Second, on occasion a value that appears as a total in one table is a sub-category in another. In these cases, the percents reported in the two tables may differ slightly. In each table, the value used was the one most appropriate for the particular table. In addition, since most tables include multiple comparisons, the total number of respondents reported in these tables represents the total number in the category rather than the total responses for a particular comparison (which may differ due to missing values).